



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2012 FINAL Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2009	2010	2011	2012 Proposed	2012 Final	% of Change 2012 final				
							2012p	2011	2010	2009	2007	
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20550	tendon sheath, ligament injection	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20551	Tendon origin/insertion	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20553	Single or multiple trigger point(s), three or more muscle groups	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20600	Small joint injection	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20605	Intermediate joint injection	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
20610	Major joint injection	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
22520	Vertebroplasty (Thoracic)	\$1,545	\$1,973.95	\$2,142	\$2,221	\$2,249.9	\$2,271.8	1.0%	2%	6%	15%	47%
22521	Vertebroplasty (Lumbar)	\$1,545	\$1,973.95	\$2,142	\$2,221	\$2,249.9	\$2,271.8	1.0%	2%	6%	15%	47%
22522	Vertebroplasty - Additional	\$1,545	\$1,973.95	\$2,142	\$2,221	\$2,249.9	\$2,271.8	1.0%	2%	6%	15%	47%
22523	Percut kyphoplasty, thor	\$4,093	\$5,720.43	\$5,976	\$6,129	\$6,078.9	\$6,220.8	2.3%	1%	4%	9%	52%
22525	Percut kyphoplasty, add-on	\$4,093	\$5,720.43	\$5,976	\$6,129	\$6,078.9	\$6,220.8	2.3%	1%	4%	9%	52%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$748	\$473.78	\$485	\$523	\$896.0	\$896.2	0.0%	71%	85%	89%	20%
62264	Percutaneous epidural adhesiolysis - 1 day	\$748	\$949.39	\$893	\$881	\$896.0	\$896.2	0.0%	2%	0%	-6%	20%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$184	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	184%
62269	Biopsy of spinal cord, percutaneous needle	\$377	\$632.75	\$652	\$671	\$675.3	\$677.2	0.3%	1%	4%	7%	79%
62270	Spinal puncture, diagnostic	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
62272	Spinal puncture, therapeutic	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
62273	Epidural, blood patch	\$352	\$241.11	\$251	\$523	\$524.0	\$521.9	-0.4%	0%	108%	116%	48%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2012 FINAL Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2009	2010	2011	2012 Proposed	2012 Final	% of Change 2012 final				
							2012p	2011	2010	2009	2007	
62280	Subarachnoid neurolytic injection	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
62281	Neurolytic epidural, C/T	\$391	\$473.78	\$485	\$523	\$896.0	\$896.2	0.0%	71%	85%	89%	129%
62282	Neurolytic epidural, L/S	\$391	\$473.78	\$485	\$523	\$896.0	\$896.2	0.0%	71%	85%	89%	129%
62287	Disc decompression	\$2,038	\$2,375.49	\$2,513	\$2,567	\$2,596.8	\$2,529.6	-2.6%	-1%	1%	6%	24%
62292	Chemonucleolysis	\$184	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	184%
62310	Cervical epidural	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
62311	Lumbar epidural	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
62318	Epidural or subarachnoid, catheterization, C/T	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
62319	Catheterization, epidural, L/S	\$391	\$473.78	\$485	\$881	\$896.0	\$896.2	0.0%	2%	85%	89%	129%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or	\$1,896	\$2,777.19	\$2,766	\$2,887	\$2,951.7	\$2,909.5	-1.4%	1%	5%	5%	53%
62355	Removal or previously implanted intrathecal or epidural catheter	\$748	\$949.39	\$893	\$881	\$896.0	\$896.2	0.0%	2%	0%	-6%	20%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	\$6,923	\$2,777.19	\$2,766	\$2,887	\$2,951.7	\$2,909.5	-1.4%	1%	5%	5%	-58%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	\$10,720	\$12,282.40	\$13,391	\$13,305	\$13,193.4	\$13,494.7	2.3%	1%	1%	10%	26%
62362	Implant spine infusion pump	\$10,720	\$12,282.40	\$13,391	\$13,305	\$13,193.4	\$13,494.7	2.3%	1%	1%	10%	26%
62365	Remove spine infusion device	\$2,038	\$2,375.49	\$2,513	\$2,567	\$2,596.8	\$2,529.6	-2.6%	-1%	1%	6%	24%
62367	Electronic analysis of programmable pump	\$178	\$109.24	\$171	\$167	\$167.7	\$167.6	-0.1%	0%	-2%	53%	-6%
62368	Electronic analysis of programmable pump with reprogramming	\$178	\$162.82	\$171	\$167	\$167.7	\$167.6	-0.1%	0%	-2%	3%	-6%
63650	Implant neuroelectrodes (NA=National price is Not Available)	\$3,477	\$4,206.45	\$4,429	\$4,553	\$4,358.8	\$4,437.1	1.8%	-3%	0%	5%	28%
63655	Implant neuroelectrodes (NA=National price is Not Available)	\$5,175	\$5,476.61	\$5,832	\$6,202	\$6,038.1	\$6,203.8	2.7%	0%	6%	13%	20%
63661	Remove spine eltrd perq aray			\$1,324	\$1,496	\$1,440.2	\$1,450.7	0.7%	-3%	10%		



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2012 FINAL Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2009	2010	2011	2012 Proposed	2012 Final	% of Change 2012 final				
							2012p	2011	2010	2009	2007	
63662	Remove spine eltrd plate			\$1,324	\$1,496	\$1,440.2	\$1,450.7	0.7%	-3%	10%		
63663	Remove spine eltrd perq aray			\$1,324	\$1,496	\$4,358.8	\$4,437.1	1.8%	197%	235%		
63685	Implant neuroreceiver	\$11,164	\$15,566.65	\$13,892	\$14,744	\$14,557.1	\$15,188.8	4.3%	3%	9%	-2%	36%
63688	Revise/remove neuroreceiver	\$2,186	\$1,951.81	\$1,932	\$2,003	\$2,178.9	\$2,177.5	-0.1%	9%	13%	12%	0%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
64402	Facial nerve	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
64405	Greater occipital nerve	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64408	Vagus nerve	\$139	\$241.11	\$485	\$523	\$192.2	\$182.4	-5.1%	-65%	-62%	-24%	31%
64410	Phrenic nerve	\$352	\$473.78	\$485	\$523	\$192.2	\$182.4	-5.1%	-65%	-62%	-61%	-48%
64412	Spinal accessory nerve	\$352	\$473.78	\$485	\$523	\$273.3	\$271.3	-0.7%	-48%	-44%	-43%	-23%
64413	Cervical plexus	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64415	Brachial plexus	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64417	Axillary nerve	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64418	Suprascapular nerve	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64420	Intercostal, single	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64421	Intercostal, multiple, regional block	\$352	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	48%
64425	Ilioinguinal, Iliohypogastric	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64445	Sciatic nerve	\$139	\$241.11	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	116%	275%
64450	Other peripheral nerve or branch	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64479	Cervical transforaminal epidural injections	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2012 FINAL Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2009	2010	2011	2012 Proposed	2012 Final	% of Change 2012 final				
							2012p	2011	2010	2009	2007	
64480	Cervical transforaminal epidural injections add-on	\$391	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	-31%
64483	Lumbar/sacral transforaminal epidural injections	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$391	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	-31%
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64491	Cervical and thoracic facet joint injections, 2nd Level (Old 64472)	\$352	\$241.11	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	-24%	-48%
64492	Cervical and thoracic facet joint injections, 3rd Level (New Code - Old 64472)			\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%		
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)	\$352	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	-48%
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (New Code - Old 64476)			\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%		
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar	\$748	\$949.39	\$893	\$881	\$896.0	\$896.2	0.0%	2%	0%	-6%	20%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$949.39	\$1,262	\$1,318	\$1,323.3	\$1,322.8	0.0%	0%	5%	39%	77%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$949.39	\$1,262	\$1,318	\$1,323.3	\$1,322.8	0.0%	0%	5%	39%	77%
64612	Chemodeneration of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial	\$139	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	31%
64613	Chemodeneration of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%
64614	Chemodeneration of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy,	\$139	\$241.11	\$251	\$267	\$273.3	\$271.3	-0.7%	1%	8%	13%	95%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2012 FINAL Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2009	2010	2011	2012 Proposed	2012 Final	% of Change 2012 final				
							2012p	2011	2010	2009	2007	
64620	Destruction by neurolytic agent, intercostal nerve	\$748	\$473.78	\$485	\$523	\$896.0	\$896.2	0.0%	71%	85%	89%	20%
64630	Destruction by neurolytic agent; pudendal nerve	\$352	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	48%
64633	Destruction by neurolytic agent, paravertebral facet joint nerve; C/T, single level (old 64626)	\$748	\$949.39	\$485	\$523	\$896.0	\$521.9	-41.8%	0%	8%	-45%	-30%
64634	Destruction by neurolytic agent, paravertebral facet joint nerve; C/Tc, each additional level (old 64626)	\$391	\$164.30	\$172	\$184	\$192.2	\$182.4	-5.1%	-1%	6%	11%	-53%
64635	Destruction by neurolytic agent, paravertebral facet joint nerve; L/S, single level (old 64622)	\$748	\$949.39	\$893	\$881	\$896.0	\$896.2	0.0%	2%	0%	-6%	20%
64636	Destruction by neurolytic agent, paravertebral facet joint nerve; L/S, each additional level (old 64623)	\$391	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	33%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$352	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	48%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391	\$949.39	\$485	\$523	\$896.0	\$896.2	0.0%	71%	85%	-6%	129%
72265	Contrast x-ray, lower spine	\$157	\$475.26	\$487	\$499	\$483.7	\$494.9	2.3%	-1%	2%	4%	215%
72270	Contrast x-ray of spine	\$157	\$475.26	\$487	\$499	\$483.7	\$494.9	2.3%	-1%	2%	4%	215%
72285	Diskography C/T Radiological supervision and interpretation	\$982	\$1,504.20	\$1,743	\$1,672	\$1,600.5	\$1,594.2	-0.4%	-5%	-9%	6%	62%
72295	Diskography lumbar radiological supervision and interpretation	\$982	\$1,504.20	\$1,743	\$1,672	\$1,600.5	\$1,594.2	-0.4%	-5%	-9%	6%	62%
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not	\$227	\$265.39	\$265	\$275	\$276.8	\$280.8	1.5%	2%	6%	6%	24%
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$227	\$265.39	\$265	\$275	\$276.8						
76000	Fluoroscopic examination	\$79	\$83.21	\$86	\$84	\$86.6	\$85.2	-1.6%	2%	0%	2%	7%
G0260	(27096) Injection procedure for Sacroiliac joint, arthrography	\$352	\$473.78	\$485	\$523	\$524.0	\$521.9	-0.4%	0%	8%	10%	48%

As of November 1, 2011