

81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987

É-mail:asipp@asipp.org

		2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Withcut			2012 (CF=\$33.9764) Without C				
CPT	Description	Non-Facility (Office) (A	Facility ASC/Hospital)	Non-Facility (Office) (A	Facility SC/Hospital)	% 0f change fro Non-Facility		Non-Facility (Office) (AS		of change from Non-Facility Fa	
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$73.73	\$56.74	\$54.28	\$40.95	-26.4%	-27.8%	\$74.75	\$56.40	1.4%	-0.6%
20550	tendon sheath, ligament injection	\$56.06	\$40.77	\$41.45	\$29.61	-26.1%	-27.4%	\$57.08	\$40.77	1.8%	0.0%
20551	Tendon origin/insertion	\$57.08	\$42.13	\$42.43	\$30.59	-25.7%	-27.4%	\$58.44	\$42.13	2.4%	0.0%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$52.32	\$36.69	\$38.98	\$26.89	-25.5%	-26.7%	\$53.68	\$37.03	2.6%	0.9%
20553	Single or multiple trigger point(s), three or more muscle groups	\$59.12	\$41.11	\$44.65	\$30.35	-24.5%	-26.2%	\$61.50	\$41.79	4.0%	1.7%
20600	Small joint injection	\$53.00	\$38.73	\$39.23	\$27.88	-26.0%	-28.0%	\$54.02	\$38.39	1.9%	-0.9%
20605	Intermediate joint injection	\$57.76	\$40.77	\$41.45	\$29.36	-28.2%	-28.0%	\$57.08	\$40.43	-1.2%	-0.8%
20610	Major joint injection	\$76.79	\$49.61	\$50.58	\$36.02	-34.1%	-27.4%	\$69.65	\$49.61	-9.3%	0.0%
22520	Vertbroplasty (Thoracic)	\$2,229.53	\$523.58	\$1,632.25	\$371.55	-26.8%	-29.0%	\$2,247.88	\$511.68	0.8%	-2.3%
22521	Vertbroplasty (Lumbar)	\$2,187.40	\$495.04	\$1,624.85	\$353.54	-25.7%	-28.6%	\$2,237.69	\$486.88	2.3%	-1.6%
22522	Vertbroplasty - Additional	NA	\$231.04	NA	\$164.31	NA	-28.9%	NA	\$226.28	NA	-2.1%
22523	Percut kyphoplasty, thor	NA	\$587.11	NA	\$413.98	NA	-29.5%	NA	\$570.12	NA	-2.9%
22524	Percut kyphoplasty, lumbar	NA	\$369.66	NA	\$265.71	NA	-28.1%	NA	\$365.93	NA	-1.0%
22525	Percut kyphoplasty, add-on	NA	\$263.66	NA	\$188.73	NA	-28.4%	NA	\$259.92	NA	-1.4%
22526	IDET, single level	\$2,090.23	\$324.81	\$1,638.91	\$240.30	-21.6%	-26.0%	\$2,257.05	\$330.93	8.0%	1.9%
22527	IDET, 1 or more levels	\$1,681.15	\$145.76	\$1,338.41	\$107.81	-20.4%	-26.0%	\$1,843.22	\$148.48	9.6%	1.9%
27093	Injection procedure for HIP arthrography – without anesthesia	\$189.25	\$70.33	\$141.37	\$50.82	-25.3%	-27.7%	\$194.68	\$69.99	2.9%	-0.5%



81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987

É-mail:asipp@asipp.org

		2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Withcut				2012 (CF=\$33.9764) Without C				
CPT	Description	Non-Facility (Office) (A	Facility ASC/Hospital)	Non-Facility (Office) (A	Facility SC/Hospital)	% 0f change from Non-Facility		Non-Facility (Office) (AS		0f change from Non-Facility F		
27095	Injection procedure for HIP arthrography – with anesthesia	\$231.72	\$81.88	\$174.92	\$59.21	-24.5%	-27.7%	\$240.89	\$81.54	4.0%	-0.4%	
27096	(G0260) Injection procedure for Sacroiliac joint, arthrography	\$184.49	\$70.67	\$124.59	\$59.46	-32.5%	-15.9%	\$171.58	\$81.88	-7.0%	15.9%	
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$708.75	\$399.56	\$495.40	\$246.96	-30.1%	-38.2%	\$682.25	\$340.10	-3.7%	-14.9%	
62264	Percutaneous epidural adhesiolysis – 1 day	\$412.47	\$232.40	\$314.31	\$173.19	-23.8%	-25.5%	\$432.86	\$238.51	4.9%	2.6%	
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$352.34	\$259.24	\$215.13	\$188.49	-38.9%	-27.3%	\$296.27	\$259.58	-15.9%	0.1%	
62269	Biopsy of spinal cord, percutaneous needle	\$379.18	\$266.04	\$227.22	\$191.94	-40.1%	-27.9%	\$312.92	\$264.34	-17.5%	-0.6%	
62270	Spinal puncture, diagnostic	\$155.27	\$78.83	\$113.73	\$56.74	-26.8%	-28.0%	\$156.63	\$78.15	0.9%	-0.9%	
62272	Spinal puncture, therapeutic	\$192.65	\$84.94	\$145.07	\$61.68	-24.7%	-27.4%	\$199.78	\$84.94	3.7%	0.0%	
62273	Epidural, blood patch	\$167.50	\$111.44	\$125.33	\$82.16	-25.2%	-26.3%	\$172.60	\$113.14	3.0%	1.5%	
62280	Subarachnoid neurolytic injection	\$323.46	\$162.07	\$243.26	\$121.38	-24.8%	-25.1%	\$335.01	\$167.16	3.6%	3.1%	
62281	Neurolytic epidural, C/T	\$259.24	\$149.84	\$181.58	\$110.77	-30.0%	-26.1%	\$250.07	\$152.55	-3.5%	1.8%	
62282	Neurolytic epidural, L/S	\$293.22	\$139.64	\$214.15	\$103.13	-27.0%	-26.2%	\$294.92	\$142.02	0.6%	1.7%	
62284	Injection procedure myelography	\$213.71	\$87.32	\$146.05	\$62.17	-31.7%	-28.8%	\$201.14	\$85.62	-5.9%	-1.9%	
62287	Disc decompression	NA	\$549.40	NA	\$406.09	NA	-26.1%	NA	\$559.25	NA	1.8%	
62290	diskogrsphy each level: lumbar	\$331.95	\$170.56	\$249.43	\$125.33	-24.9%	-26.5%	\$343.50	\$172.60	3.5%	1.2%	
62291	Diskogrsphy each level: C/T	\$313.26	\$164.45	\$236.84	\$120.64	-24.4%	-26.6%	\$326.17	\$166.14	4.1%	1.0%	
62292	Chemonucleolysis	NA	\$544.30	NA	\$414.97	NA	-23.8%	NA	\$571.48	NA	5.0%	



The Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987

E-mail:asipp@asipp.org

		2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Withcut				2012 (CF=\$33.9764) Without C				
CPT	Description	Non-Facility (Office) (A	Facility SC/Hospital)	Non-Facility (Office) (A	Facility SC/Hospital)	% 0f change fro Non-Facility		Non-Facility (Office) (AS		0f change from Non-Facility F		
62310	Cervical epidural	\$230.36	\$103.29	\$178.87	\$77.71	-22.4%	-24.8%	\$246.33	\$107.03	6.9%	3.6%	
62311	Lumbar epidural	\$197.74	\$84.94	\$151.48	\$63.65	-23.4%	-25.1%	\$208.62	\$87.66	5.5%	3.2%	
62318	Epidural or subarachnoid, catheterization, C/T	\$236.82	\$99.21	\$182.07	\$73.77	-23.1%	-25.6%	\$250.75	\$101.59	5.9%	2.4%	
62319	Catheterization, epidural, L/S	\$188.91	\$94.11	\$134.21	\$70.31	-29.0%	-25.3%	\$184.83	\$96.83	-2.2%	2.9%	
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or implantable reservoir; w/o laminectomy	NA	\$389.71	NA	\$289.15	NA	-25.8%	NA	\$398.20	NA	2.2%	
62355	Removal or previously implanted intrathecal or epidural catheter	NA	\$294.24	NA	\$189.23	NA	-35.7%	NA	\$260.60	NA	-11.4%	
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	NA	\$300.69	NA	\$224.26	NA	-25.4%	NA	\$308.85	NA	2.7%	
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	NA	\$388.01	NA	\$253.87	NA	-34.6%	NA	\$349.62	NA	-9.9%	
62362	Implant spine infusion pump	NA	\$406.70	NA	\$281.99	NA	-30.7%	NA	\$388.35	NA	-4.5%	
62365	Remove spine infusion device	NA	\$324.13	NA	\$213.41	NA	-34.2%	NA	\$293.90	NA	-9.3%	
62367	Electronic analysis of programmable pump	\$40.09	\$24.46	\$29.61	\$18.01	-26.2%	-26.4%	\$40.77	\$24.80	1.7%	1.4%	
62368	Electronic analysis of programmable pump with reprogramming	\$57.76	\$38.05	\$39.97	\$24.67	-30.8%	-35.2%	\$55.04	\$33.98	-4.7%	-10.7%	
63650	Implant neuroelectrodes (NA=National price is Not Available)	NA	\$414.85	NA	\$309.62	NA	-25.4%	NA	\$426.40	NA	2.8%	
63655	Implant neuroelectrodes (NA=National price is Not Available)	NA	\$855.53	NA	\$603.70	NA	-29.4%	NA	\$831.40	NA	-2.8%	
63661	Remove spine eltrd perq aray	\$597.64	\$330.25	\$435.94	\$235.86	-27.1%	-28.6%	\$600.36	\$324.81	0.5%	-1.6%	
63662	Remove spine eltrd plate	NA	\$716.56	NA	\$569.66	NA	-20.5%	NA	\$784.52	NA	9.5%	
63663	Remove spine eltrd perq aray	\$853.83	\$479.41	\$619.99	\$344.16	-27.4%	-28.2%	\$853.83	\$473.97	0.0%	-1.1%	



he Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987

É-mail:asipp@asipp.org

	2011 (CF=\$33.9764)			20	12 (CF=\$24.6	712) Withcut		2012 (CF=\$33.9764) Without C				
CPT	Description	Non-Facility (Office) (A	Facility SC/Hospital)	Non-Facility (Office) (A	Facility SC/Hospital)	% 0f change fro Non-Facility		Non-Facility (Office) (ASC		f change from Non-Facility F		
63664	Remove spine eltrd plate	NA	\$745.10	NA	\$583.47	NA	-21.7%	NA	\$803.54	NA	7.8%	
63685	Implant neuroreceiver	NA	\$396.50	NA	\$263.24	NA	-33.6%	NA	\$362.53	NA	-8.6%	
63688	Revise/remove neuroreceiver	NA	\$358.45	NA	\$266.70	NA	-25.6%	NA	\$367.28	NA	2.5%	
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$112.80	\$66.59	\$85.61	\$49.34	-24.1%	-25.9%	\$117.90	\$67.95	4.5%	2.0%	
64402	Facial nerve	\$112.46	\$72.71	\$85.86	\$54.28	-23.7%	-25.4%	\$118.24	\$74.75	5.1%	2.8%	
64405	Greater occipital nerve	\$112.46	\$79.50	\$70.31	\$44.90	-37.5%	-43.5%	\$96.83	\$61.84	-13.9%	-22.2%	
64408	Vagus nerve	\$122.65	\$90.72	\$77.71	\$56.99	-36.6%	-37.2%	\$107.03	\$78.49	-12.7%	-13.5%	
64410	Phrenic nerve	\$148.14	\$83.58	\$110.28	\$63.41	-25.6%	-24.1%	\$151.87	\$87.32	2.5%	4.5%	
64412	Spinal accessory nerve	\$149.16	\$74.07	\$107.81	\$53.78	-27.7%	-27.4%	\$148.48	\$74.07	-0.5%	0.0%	
64413	Cervical plexus	\$118.58	\$78.83	\$89.56	\$58.22	-24.5%	-26.1%	\$123.33	\$80.18	4.0%	1.7%	
64415	Brachial plexus	\$122.32	\$67.27	\$90.05	\$48.36	-26.4%	-28.1%	\$124.01	\$66.59	1.4%	-1.0%	
64417	Axillary nerve	\$128.43	\$69.65	\$96.46	\$51.56	-24.9%	-26.0%	\$132.85	\$71.01	3.4%	2.0%	
64418	Suprascapular nerve	\$136.92	\$73.39	\$100.66	\$53.78	-26.5%	-26.7%	\$138.62	\$74.07	1.2%	0.9%	
64420	Intercostal, single	\$135.91	\$66.59	\$91.28	\$49.34	-32.8%	-25.9%	\$125.71	\$67.95	-7.5%	2.0%	
64421	Intercostal, multiple, regional block	\$195.36	\$91.74	\$128.78	\$68.34	-34.1%	-25.5%	\$177.36	\$94.11	-9.2%	2.6%	
64425	llioinguinal, lliohypogastric	\$130.47	\$94.11	\$97.45	\$69.08	-25.3%	-26.6%	\$134.21	\$95.13	2.9%	1.1%	
64445	Sciatic nerve	\$133.53	\$75.43	\$98.68	\$53.78	-26.1%	-28.7%	\$135.91	\$74.07	1.8%	-1.8%	



The Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987

É-mail:asipp@asipp.org

СРТ	Description	2011 (CF=\$33.9764)  Non-Facility Facility (Office) (ASC/Hospital)		20	12 (CF=\$24.6	712) Withcut		2012 (CF=\$33.9764) Without C				
				Non-Facility Facility (Office) (ASC/Hospital)		% 0f change from 2010 Non-Facility Facility		Non-Facility Facility % (Office) (ASC/Hospital)		6 0f change from 2011 Non-Facility Facility		
64450	Other peripheral nerve or branch	\$102.27	\$68.63	\$76.48	\$50.08	-25.2%	-27.0%	\$105.33	\$68.97	3.0%	0.5%	
64479	Cervical transforaminal epidural injections	\$265.36	\$131.15	\$188.98	\$97.20	-28.8%	-25.9%	\$260.26	\$133.87	-1.9%	2.1%	
64480	Cervical transforaminal epidural injections add-on	\$126.39	\$66.93	\$90.54	\$48.11	-28.4%	-28.1%	\$124.69	\$66.25	-1.3%	-1.0%	
64483	Lumbar/sacral transforaminal epidural injections	\$240.21	\$102.61	\$175.41	\$81.17	-27.0%	-20.9%	\$241.57	\$111.78	0.6%	8.9%	
64484	Lumbar/sacral transforaminal epidural injections add-on	\$106.35	\$53.00	\$72.53	\$38.24	-31.8%	-27.9%	\$99.89	\$52.66	-6.1%	-0.6%	
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$196.38	\$111.44	\$146.55	\$80.43	-25.4%	-27.8%	\$201.82	\$110.76	2.8%	-0.6%	
64491	Cervical and thoracic facet joint injections, 2nd Level (Old 64472)	\$97.17	\$62.86	\$71.30	\$44.90	-26.6%	-28.6%	\$98.19	\$61.84	1.0%	-1.6%	
64492	Cervical and thoracic facet joint injections, 3rd Level ( New Code - Old 64472)	\$98.19	\$63.88	\$71.79	\$45.40	-26.9%	-28.9%	\$98.87	\$62.52	0.7%	-2.1%	
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$174.98	\$93.77	\$131.25	\$67.60	-25.0%	-27.9%	\$180.75	\$93.10	3.3%	-0.7%	
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)	\$87.66	\$53.34	\$65.13	\$37.99	-25.7%	-28.8%	\$89.70	\$52.32	2.3%	-1.9%	
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (New Code - Old 64476)	\$89.02	\$54.02	\$65.63	\$38.73	-26.3%	-28.3%	\$90.38	\$53.34	1.5%	-1.3%	
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$97.85	\$81.88	\$72.78	\$60.69	-25.6%	-25.9%	\$100.23	\$83.58	2.4%	2.1%	
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$104.31	\$74.75	\$62.42	\$55.76	-40.2%	-25.4%	\$85.96	\$76.79	-17.6%	2.7%	
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$134.89	\$69.65	\$97.94	\$52.55	-27.4%	-24.6%	\$134.89	\$72.37	0.0%	3.9%	
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$190.95	\$78.15	\$143.34	\$58.22	-24.9%	-25.5%	\$197.40	\$80.18	3.4%	2.6%	
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$193.33	\$90.38	\$146.05	\$67.35	-24.5%	-25.5%	\$201.14	\$92.76	4.0%	2.6%	
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar branch	\$410.10	\$219.83	\$297.53	\$159.38	-27.4%	-27.5%	\$409.76	\$219.49	-0.1%	-0.2%	



81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987

É-mail:asipp@asipp.org

		2011 (C	F=\$33.9764)	20	12 (CF=\$24.6	712) Withcut		2012 (CF=\$33.9764) Without C				
CPT	Description	Non-Facility Facility (Office) (ASC/Hospital)		Non-Facility Facility (Office) (ASC/Hospital)		% 0f change from 2010 Non-Facility Facility		Non-Facility Facility % (Office) (ASC/Hospital)		6 Of change from 2011 Non-Facility Facility		
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$646.91	\$340.10	\$425.58	\$244.00	-34.2%	-28.3%	\$586.09	\$336.03	-9.4%	-1.2%	
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale under radiologic monitoring	\$727.77	\$486.88	\$547.45	\$354.28	-24.8%	-27.2%	\$753.94	\$487.90	3.6%	0.2%	
64612	Chemodenervation of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial spasm)	\$171.24	\$155.95	\$126.56	\$116.20	-26.1%	-25.5%	\$174.30	\$160.03	1.8%	2.6%	
64613	Chemodenervation of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$164.11	\$145.42	\$120.40	\$108.55	-26.6%	-25.4%	\$165.80	\$149.50	1.0%	2.8%	
64614	Chemodenervation of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia,cerebral palsy, multiple sclerosis)	\$174.98	\$151.87	\$128.78	\$113.24	-26.4%	-25.4%	\$177.36	\$155.95	1.4%	2.7%	
64620	Destruction by neurolytic agent, intercostal nerve	\$238.85	\$169.54	\$163.32	\$125.58	-31.6%	-25.9%	\$224.92	\$172.94	-5.8%	2.0%	
64630	Destruction by neurolytic agent; pudendal nerve	\$225.26	\$187.89	\$167.02	\$138.16	-25.9%	-26.5%	\$230.02	\$190.27	2.1%	1.3%	
64633	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level (64626)	\$398.54	\$247.69	\$327.88	\$170.72	-17.7%	-31.1%	\$451.55	\$235.12	13.3%	-5.1%	
64634	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (64627)	\$170.90	\$58.78	\$150.25	\$51.07	-12.1%	-13.1%	\$206.92	\$70.33	21.1%	19.7%	
64635	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level (old 64622)	\$335.01	\$182.79	\$322.21	\$167.27	-3.8%	-8.5%	\$443.73	\$230.36	32.5%	26.0%	
64636	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (64623)	\$125.03	\$49.95	\$135.20	\$44.41	8.1%	-11.1%	\$186.19	\$61.16	48.9%	22.5%	
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$217.79	\$168.18	\$159.38	\$123.11	-26.8%	-26.8%	\$219.49	\$169.54	0.8%	0.8%	
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$313.60	\$163.09	\$236.10	\$120.64	-24.7%	-26.0%	\$325.15	\$166.14	3.7%	1.9%	