

2007 Physician Payment Rates - Proposed
Fully Implemented Recourse –Based

CPT	Description	2006 (CF=\$37.8975)		2007 proposed (CF=\$37.8975) without cut				2007 proposed (CF=\$35.9647) with 5.1% cut			
		Non-Facility	Facility	Non-Facility	Facility	Non-Facility % change	Facility % change	Non-Facility	Facility	Non-Facility % change	Facility % change
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$73.8	\$57.52	\$71.63	\$56.09	-2.9%	-2.5%	\$67.97	\$53.23	-7.9%	-7.5%
20550	tendon sheath, ligament injection	\$56.1	\$38.71	\$55.71	\$42.45	-0.7%	9.7%	\$52.87	\$40.28	-5.7%	4.1%
20551	Tendon origin/insertion	\$54.6	\$41.97	\$55.71	\$42.45	2.0%	1.1%	\$52.87	\$40.28	-3.2%	-4.0%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$51.7	\$32.92	\$48.89	\$36.38	-5.5%	10.5%	\$46.39	\$34.53	-10.3%	4.9%
20553	Single or multiple trigger point(s), three or more muscle groups	\$58.2	\$36.54	\$54.57	\$40.17	-6.3%	9.9%	\$51.79	\$38.12	-11.1%	4.3%
20600	Small joint injection	\$50.3	\$39.43	\$53.44	\$39.79	6.3%	0.9%	\$50.71	\$37.76	0.8%	-4.2%
20605	Intermediate joint injection	\$55.0	\$40.52	\$56.85	\$41.31	3.4%	1.9%	\$53.95	\$39.20	-1.9%	-3.2%
20610	Major joint injection	\$66.9	\$47.75	\$74.66	\$49.27	11.6%	3.2%	\$70.85	\$46.75	5.9%	-2.1%
22520	Vertebroplasty (Thoracic)	\$2,621.0	\$568.70	\$2,105.96	\$577.94	-19.7%	1.6%	\$1,998.56	\$548.46	-23.7%	-3.6%
22521	Vertebroplasty (Lumbar)	\$2,389.9	\$538.68	\$2,128.32	\$544.97	-10.9%	1.2%	\$2,019.78	\$517.17	-15.5%	-4.0%
22522	Vertebroplasty - Additional	NA	\$246.00	NA	\$247.47		0.6%	NA	\$234.85		-4.5%
27093	Injection procedure for HIP arthrography – without anesthesia	\$213.4	\$69.10	\$171.30	\$70.87	-19.7%	2.6%	\$162.56	\$67.25	-23.8%	-2.7%
27095	Injection procedure for HIP arthrography – with anesthesia	\$267.0	\$78.14	\$203.51	\$81.10	-23.8%	3.8%	\$193.13	\$76.96	-27.7%	-1.5%
27096	(G0260) Injection procedure for Sacroiliac joint, arthrography	\$211.3	\$65.48	\$152.35	\$68.59	-27.9%	4.8%	\$144.58	\$65.10	-31.6%	-0.6%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$697.1	\$352.36	\$604.84	\$366.09	-13.2%	3.9%	\$574.00	\$347.42	-17.7%	-1.4%
62264	Percutaneous epidural adhesiolysis – 1 day	\$450.0	\$221.04	\$396.79	\$227.38	-11.8%	2.9%	\$376.55	\$215.79	-16.3%	-2.4%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$604.9	\$264.45	\$451.74	\$261.49	-25.3%	-1.1%	\$428.70	\$248.16	-29.1%	-6.2%
62269	Biopsy of spinal cord, percutaneous needle	\$727.2	\$266.26	\$463.11	\$267.18	-36.3%	0.3%	\$439.49	\$253.55	-39.6%	-4.8%
62270	Spinal puncture, diagnostic	\$152.3	\$64.03	\$145.15	\$75.79	-4.7%	18.4%	\$137.74	\$71.93	-9.6%	12.3%
62272	Spinal puncture, therapeutic	\$186.3	\$81.04	\$176.98	\$81.10	-5.0%	0.1%	\$167.96	\$76.96	-9.9%	-5.0%

NA - Not Applicable

CPT	Description	2006 (CF=\$37.8975)		2007 proposed (CF=\$37.8975) without cut				2007 proposed (CF=\$35.9647) with 5.1% cut			
		Non-Facility	Facility	Non-Facility	Facility	Non-Facility % change	Facility % change	Non-Facility	Facility	Non-Facility % change	Facility % change
62273	Epidural, blood patch	\$180.9	\$108.17	\$150.83	\$108.39	-16.6%	0.2%	\$143.14	\$102.86	-20.9%	-4.9%
62280	Subarachnoid neurolytic injection	\$357.4	\$142.54	\$274.00	\$151.59	-23.3%	6.4%	\$260.02	\$143.86	-27.3%	0.9%
62281	Neurolytic epidural, C/T	\$308.2	\$135.30	\$251.64	\$142.49	-18.4%	5.3%	\$238.81	\$135.23	-22.5%	-0.1%
62282	Neurolytic epidural, L/S	\$393.6	\$123.73	\$245.20	\$135.29	-37.7%	9.4%	\$232.69	\$128.39	-40.9%	3.8%
62284	Injection procedure myelography	\$240.2	\$85.02	\$206.92	\$88.68	-13.9%	4.3%	\$196.37	\$84.16	-18.3%	-1.0%
62287	Disc decompression	NA	\$514.44	NA	\$516.92		0.5%	NA	\$490.56		-4.6%
62290	Injection procedure for diskogrsphy each level: lumbar	\$375.5	\$166.78	\$291.43	\$165.23	-22.4%	-0.9%	\$276.57	\$156.81	-26.3%	-6.0%
62291	Injection procedure for diskogrsphy each level: C/T	\$329.9	\$159.18	\$281.20	\$160.69	-14.8%	0.9%	\$266.86	\$152.49	-19.1%	-4.2%
62292	Chemoneucleolysis	NA	\$475.73	NA	\$496.84		4.4%	NA	\$471.50		-0.9%
62310	Cervical epidural	\$247.8	\$96.95	\$192.90	\$98.91	-22.2%	2.0%	\$183.06	\$93.87	-26.1%	-3.2%
62311	Lumbar epidural	\$237.3	\$80.31	\$164.10	\$82.24	-30.9%	2.4%	\$155.73	\$78.04	-34.4%	-2.8%
62318	Epidural or subarachnoid, catheterization, C/T	\$285.8	\$101.66	\$204.65	\$100.05	-28.4%	-1.6%	\$194.21	\$94.95	-32.0%	-6.6%
62319	Catheterization, epidural, L/S	\$252.2	\$93.70	\$184.94	\$92.85	-26.7%	-0.9%	\$175.51	\$88.11	-30.4%	-6.0%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an	NA	\$427.97	NA	\$499.11		16.6%	NA	\$473.66		10.7%
62355	Removal or previously implanted intrathecal or epidural catheter	NA	\$337.17	NA	\$411.57		22.1%	NA	\$390.58		15.8%
62360	Implant or replacement of device for intrathecal or epidural drug infusion;	NA	\$204.40	NA	\$280.44		37.2%	NA	\$266.14		30.2%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable	NA	\$366.83	NA	\$428.62		16.8%	NA	\$406.76		10.9%
62362	Implant spine infusion pump	NA	\$455.11	NA	\$548.00		20.4%	NA	\$520.05		14.3%
62365	Remove spine infusion device	NA	\$356.71	NA	\$425.21		19.2%	NA	\$403.52		13.1%
62367	Electronic analysis of programmable pump	\$40.5	\$22.07	\$34.87	\$23.50	-14.0%	6.5%	\$33.09	\$22.30	-18.3%	1.0%
62368	Electronic analysis of programmable pump with reprogramming	\$54.3	\$35.45	\$53.44	\$37.90	-1.5%	6.9%	\$50.71	\$35.96	-6.6%	1.4%
63650	Implant neuroelectrodes	NA	\$377.69	NA	\$418.39		10.8%	NA	\$397.05		5.1%

NA - Not Applicable

CPT	Description	2006 (CF=\$37.8975)		2007 proposed (CF=\$37.8975) without cut				2007 proposed (CF=\$35.9647) with 5.1% cut			
		Non-Facility	Facility	Non-Facility	Facility	Non-Facility % change	Facility % change	Non-Facility	Facility	Non-Facility % change	Facility % change
63660	Revise/remove neuroelectrode	NA	\$381.67	NA	\$415.74		8.9%	NA	\$394.53		3.4%
63685	Implant neuroreceiver	NA	\$442.44	NA	\$478.27		8.1%	NA	\$453.87		2.6%
63688	Revise/remove neuroreceiver	NA	\$355.62	NA	\$399.82		12.4%	NA	\$379.43		6.7%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$111.4	\$58.24	\$98.15	\$61.77	-11.9%	6.1%	\$93.15	\$58.62	-16.4%	0.6%
64402	Facial nerve	\$106.7	\$70.18	\$106.11	\$70.87	-0.6%	1.0%	\$100.70	\$67.25	-5.6%	-4.2%
64405	Greater occipital nerve	\$103.5	\$67.29	\$97.40	\$72.38	-5.9%	7.6%	\$92.43	\$68.69	-10.7%	2.1%
64408	Vagus nerve	\$111.8	\$85.38	\$112.18	\$83.75	0.3%	-1.9%	\$106.46	\$79.48	-4.8%	-6.9%
64410	Phrenic nerve	\$145.8	\$71.63	\$126.58	\$77.31	-13.2%	7.9%	\$120.12	\$73.37	-17.6%	2.4%
64412	Spinal accessory nerve	\$141.8	\$61.14	\$125.44	\$68.59	-11.5%	12.2%	\$119.04	\$65.10	-16.1%	6.5%
64413	Cervical plexus	\$120.5	\$71.63	\$105.36	\$73.90	-12.5%	3.2%	\$99.98	\$70.13	-17.0%	-2.1%
64415	Brachial plexus	\$158.5	\$73.44	\$116.35	\$72.38	-26.6%	-1.4%	\$110.41	\$68.69	-30.3%	-6.5%
64417	Axillary nerve	\$166.1	\$73.80	\$115.97	\$72.01	-30.2%	-2.4%	\$110.05	\$68.33	-33.7%	-7.4%
64418	Suprascapular nerve	\$145.4	\$66.20	\$124.68	\$72.38	-14.3%	9.3%	\$118.32	\$68.69	-18.6%	3.8%
64420	Intercostal, single	\$186.3	\$60.78	\$138.70	\$64.43	-25.6%	6.0%	\$131.63	\$61.14	-29.3%	0.6%
64421	Intercostal, multiple, regional block	\$285.4	\$83.57	\$202.37	\$87.92	-29.1%	5.2%	\$192.05	\$83.44	-32.7%	-0.2%
64425	Ilioinguinal, Iliohypogastric	\$127.7	\$87.55	\$122.03	\$92.47	-4.4%	5.6%	\$115.81	\$87.75	-9.3%	0.2%
64445	Sciatic nerve	\$154.1	\$75.25	\$123.17	\$79.58	-20.1%	5.8%	\$116.89	\$75.53	-24.2%	0.4%
64450	Other peripheral nerve or branch	\$95.5	\$68.01	\$101.94	\$72.01	6.7%	5.9%	\$96.75	\$68.33	1.3%	0.5%
64470	cervical and thoracic facet joint injections	\$333.2	\$96.59	\$220.94	\$101.19	-33.7%	4.8%	\$209.67	\$96.03	-37.1%	-0.6%
64472	cervical and thoracic facet joint injections add-on	\$134.2	\$61.86	\$98.53	\$64.80	-26.6%	4.8%	\$93.51	\$61.50	-30.3%	-0.6%
64475	Paravertebral facet joint or facet joint nerve; lumbar/sacral, single	\$304.2	\$77.42	\$198.20	\$79.96	-34.9%	3.3%	\$188.10	\$75.89	-38.2%	-2.0%
64476	Paravertebral facet joint or facet joint nerve; lumbar/sacral, add-on	\$115.0	\$46.67	\$82.24	\$48.51	-28.5%	3.9%	\$78.04	\$46.03	-32.2%	-1.4%

NA - Not Applicable

CPT	Description	2006 (CF=\$37.8975)		2007 proposed (CF=\$37.8975) without cut				2007 proposed (CF=\$35.9647) with 5.1% cut			
		Non-Facility	Facility	Non-Facility	Facility	Non-Facility % change	Facility % change	Non-Facility	Facility	Non-Facility % change	Facility % change
64479	Cervical transforaminal epidural injections	\$355.6	\$116.13	\$232.31	\$119.00	-34.7%	2.5%	\$220.46	\$112.93	-38.0%	-2.8%
64480	Cervical transforaminal epidural injections add-on	\$162.4	\$76.33	\$119.00	\$76.55	-26.7%	0.3%	\$112.93	\$72.65	-30.5%	-4.8%
64483	Lumbar/sacral transforaminal epidural injections	\$358.9	\$102.74	\$222.08	\$104.98	-38.1%	2.2%	\$210.75	\$99.62	-41.3%	-3.0%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$170.0	\$64.40	\$115.21	\$65.56	-32.2%	1.8%	\$109.33	\$62.22	-35.7%	-3.4%
64505	Injection for nerve block	\$97.7	\$76.70	\$97.40	\$83.00	-0.3%	8.2%	\$92.43	\$78.76	-5.4%	2.7%
64508	Injection for nerve block	\$163.5	\$69.82	\$116.72	\$63.29	-28.6%	-9.4%	\$110.77	\$60.06	-32.3%	-14.0%
64510	Injection for nerve block	\$171.8	\$65.12	\$121.65	\$65.56	-29.2%	0.7%	\$115.45	\$62.22	-32.8%	-4.5%
64520	Injection for nerve block	\$238.0	\$71.63	\$153.48	\$73.90	-35.5%	3.2%	\$145.66	\$70.13	-38.8%	-2.1%
64530	Injection for nerve block	\$222.1	\$84.29	\$164.10	\$86.41	-26.1%	2.5%	\$155.73	\$82.00	-29.9%	-2.7%
64600	Injection treatment of nerve	\$476.1	\$196.44	\$343.35	\$203.13	-27.9%	3.4%	\$325.84	\$192.77	-31.6%	-1.9%
64605	Injection treatment of nerve	\$577.7	\$310.40	\$532.08	\$332.74	-7.9%	7.2%	\$504.94	\$315.77	-12.6%	1.7%
64610	Injection treatment of nerve	\$637.4	\$450.40	\$687.46	\$464.24	7.8%	3.1%	\$652.40	\$440.57	2.3%	-2.2%
64612	Destroy nerve, spine muscle	\$165.0	\$122.64	\$139.46	\$129.99	-15.5%	6.0%	\$132.35	\$123.36	-19.8%	0.6%
64613	Destroy nerve, spine muscle	\$181.2	\$119.02	\$129.99	\$121.27	-28.3%	1.9%	\$123.36	\$115.09	-31.9%	-3.3%
64614	Destroy nerve, spine muscle	\$200.1	\$130.60	\$148.56	\$136.81	-25.7%	4.8%	\$140.98	\$129.83	-29.5%	-0.6%
64620	Injection treatment of nerve	\$293.4	\$158.09	\$245.58	\$159.55	-16.3%	0.9%	\$233.05	\$151.41	-20.6%	-4.2%
64622	Destroy paravertebral nerve l/s	\$396.5	\$164.61	\$275.89	\$168.64	-30.4%	2.5%	\$261.82	\$160.04	-34.0%	-2.8%
64623	Destroy paravertebral n add-on	\$145.4	\$45.94	\$102.32	\$48.13	-29.6%	4.8%	\$97.10	\$45.68	-33.2%	-0.6%
64626	Cervical and thoracic facet neurolysis	\$408.1	\$197.16	\$330.47	\$221.70	-19.0%	12.4%	\$313.61	\$210.39	-23.1%	6.7%
64627	Cervical and thoracic facet neurolysis add-on	\$208.7	\$54.27	\$136.81	\$56.09	-34.5%	3.4%	\$129.83	\$53.23	-37.8%	-1.9%
64630	Pudendal, neurolytic	\$215.6	\$167.50	\$228.52	\$193.28	6.0%	15.4%	\$216.87	\$183.42	0.6%	9.5%
64640	Other peripheral nerve, neurolytic	\$261.9	\$177.27	\$208.44	\$170.16	-20.4%	-4.0%	\$197.81	\$161.48	-24.5%	-8.9%

NA - Not Applicable

CPT	Description	2006 (CF=\$37.8975)		2007 proposed (CF=\$37.8975) without cut				2007 proposed (CF=\$35.9647) with 5.1% cut			
		Non-Facility	Facility	Non-Facility	Facility	Non-Facility % change	Facility % change	Non-Facility	Facility	Non-Facility % change	Facility % change
64680	Celiac Plexus, neurolytic	\$344.8	\$153.03	\$258.08	\$147.42	-25.1%	-3.7%	\$244.92	\$139.90	-29.0%	-8.6%
72265	Contrast x-ray, lower spine	\$196.1	NA	\$136.05	NA	-30.6%		\$129.11	NA	-34.2%	
72265-26	Contrast x-ray, lower spine	NA	\$40.52	NA	\$42.82		5.7%	NA	\$40.64		0.3%
72265-TC	Contrast x-ray, lower spine	\$155.6	NA	\$93.23	NA	-40.1%		\$88.47	NA	-43.1%	
72270	Contrast x-ray of spine	\$298.8	NA	\$214.88	NA	-28.1%		\$203.92	NA	-31.8%	
72270-26	Contrast x-ray of spine	NA	\$65.48	NA	\$68.97		5.3%	NA	\$65.46		0.0%
72270-TC	Contrast x-ray of spine	\$233.3	NA	\$145.91	NA	-37.5%		\$138.46	NA	-40.7%	
72275	Epidurography	\$120.5	NA	\$103.46	NA	-14.1%		\$98.18	NA	-18.5%	
72275-26	Epidurography	NA	\$36.18	NA	\$37.52		3.7%	NA	\$35.61		-1.6%
72275-TC	Epidurography	\$84.3	NA	\$65.94	NA	-21.8%		\$62.58	NA	-25.8%	
72285	Diskography C/T Radiological supervision and interpretation	\$377.0	NA	\$116.72	NA	-69.0%		\$110.77	NA	-70.6%	
72285-26	Diskography C/T Radiological supervision and interpretation	NA	\$57.52	NA	\$57.60		0.1%	NA	\$54.67		-5.0%
72285-TC	Diskography C/T Radiological supervision and interpretation	\$319.4	NA	\$59.12	NA	-81.5%		\$56.10	NA	-82.4%	
72295	Diskography lumbar radiological supervision and interpretation	\$341.5	NA	\$102.32	NA	-70.0%		\$97.10	NA	-71.6%	
72295-26	Diskography lumbar radiological supervision and interpretation	NA	\$41.97	NA	\$42.45		1.1%	NA	\$40.28		-4.0%
72295-TC	Diskography lumbar radiological supervision and interpretation	\$299.5	NA	\$59.88	NA	-80.0%		\$56.82	NA	-81.0%	
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation	\$107.8	NA	\$93.99	NA	-12.8%		\$89.19	NA	-17.3%	
73525-26	Radiological examination, hip, arthrography, radiological supervision and interpretation	NA	\$27.13	NA	\$28.04		3.4%	NA	\$26.61		-1.9%
73525-TC	Radiological examination, hip, arthrography, radiological supervision and interpretation	\$80.7	NA	\$65.94	NA	-18.3%		\$62.58	NA	-22.4%	
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and	\$108.9	NA	\$70.49	NA	-35.3%		\$66.89	NA	-38.6%	
73542-26	Radiological examination, Sacroiliac joint arthrography, radiological supervision and	\$28.2	\$28.22	NA	\$28.80		2.1%	\$27.33	\$27.33	-3.1%	-3.1%
73542-TC	Radiological examination, Sacroiliac joint arthrography, radiological supervision and	\$80.7	NA	\$41.69	NA	-48.3%		\$39.56	NA	-51.0%	

NA - Not Applicable

CPT	Description	2006 (CF=\$37.8975)		2007 proposed (CF=\$37.8975) without cut				2007 proposed (CF=\$35.9647) with 5.1% cut			
		Non-Facility	Facility	Non-Facility	Facility	Non-Facility % change	Facility % change	Non-Facility	Facility	Non-Facility % change	Facility % change
76000	Fluoroscopic examination	\$58.2	NA	\$113.69	NA	95.2%		\$107.89	NA	85.2%	
76000-26	Fluoroscopic examination	NA	\$8.32	NA	\$9.10		9.3%	NA	\$8.63		3.7%
76000-TC	Fluoroscopic examination	\$49.9	NA	\$104.98	NA	110.3%		\$99.62	NA	99.5%	
76001	Fluoroscopic, physician time more than one hour	\$134.2	NA	NA	NA			NA	NA		
76001-26	Fluoroscopic, physician time more than one hour	NA	\$34.01	NA	\$35.62		4.8%	NA	\$33.81		-0.6%
76001-TC	Fluoroscopic, physician time more than one hour	\$100.2	NA	NA	NA			NA	NA		
76003	Fluoroscopic guidance for needle placement	\$76.3	NA	\$69.73	NA	-8.6%		\$66.18	NA	-13.3%	
76003-26	Fluoroscopic guidance for needle placement	NA	\$26.41	NA	\$26.91		1.9%	NA	\$25.53		-3.3%
76003-TC	Fluoroscopic guidance for needle placement	\$49.9	NA	\$42.82	NA	-14.2%		\$40.64	NA	-18.6%	
76005	Fluoroscopic guidance and localization of needle or catheter tip for spine or	\$78.1	NA	\$55.33	NA	-29.2%		\$52.51	NA	-32.8%	
76005-26	Fluoroscopic guidance and localization of needle or catheter tip for spine or	NA	\$28.22	NA	\$29.18		3.4%	NA	\$27.69		-1.9%
76005-TC	Fluoroscopic guidance and localization of needle or catheter tip for spine or	\$49.9	NA	\$26.15	NA	-47.6%		\$24.82	NA	-50.3%	

NA - Not Applicable