

**2009 Final - Physician Payment Rates**

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$75.8	\$59.50	<b>74.65</b>	<b>58.27</b>	-1.5%	-2.1%	<b>69.61</b>	<b>54.82</b>	-8.2%	-7.9%
20550	tendon sheath, ligament injection	\$58.0	\$41.31	<b>57.51</b>	<b>41.51</b>	-0.8%	0.5%	<b>53.74</b>	<b>40.03</b>	-7.3%	-3.1%
20551	Tendon origin/insertion	\$56.8	\$43.58	<b>56.75</b>	<b>43.42</b>	-0.2%	-0.4%	<b>53.02</b>	<b>40.76</b>	-6.7%	-6.5%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$53.1	\$34.87	<b>51.80</b>	<b>35.42</b>	-2.4%	1.6%	<b>47.97</b>	<b>34.26</b>	-9.6%	-1.7%
20553	Single or multiple trigger point(s), three or more muscle groups	\$59.5	\$38.66	<b>57.89</b>	<b>39.23</b>	-2.7%	1.5%	<b>53.38</b>	<b>37.87</b>	-10.3%	-2.0%
20600	Small joint injection	\$53.1	\$40.93	<b>53.32</b>	<b>40.75</b>	0.5%	-0.4%	<b>50.49</b>	<b>38.23</b>	-4.8%	-6.6%
20605	Intermediate joint injection	\$57.6	\$42.07	<b>57.51</b>	<b>41.90</b>	-0.2%	-0.4%	<b>54.10</b>	<b>39.67</b>	-6.1%	-5.7%
20610	Major joint injection	\$71.2	\$50.02	<b>72.75</b>	<b>49.89</b>	2.1%	-0.3%	<b>69.97</b>	<b>47.61</b>	-1.8%	-4.8%
22520	Vertebroplasty (Thoracic)	\$2,566.4	\$596.13	<b>2422.33</b>	<b>599.11</b>	-5.6%	0.5%	<b>2091.86</b>	<b>554.34</b>	-18.5%	-7.0%
22521	Vertebroplasty (Lumbar)	\$2,390.2	\$564.29	<b>2309.98</b>	<b>565.59</b>	-3.4%	0.2%	<b>2036.68</b>	<b>522.24</b>	-14.8%	-7.5%
22522	Vertebroplasty - Additional	NA	\$254.29	<b>NA</b>	<b>255.56</b>	NA	0.5%	<b>NA</b>	<b>244.89</b>	NA	-3.7%
22523	Percut kyphoplasty, (Thoracic)	NA	\$626.45	<b>NA</b>	<b>617.39</b>	NA	-1.4%	<b>NA</b>	<b>579.59</b>	NA	-7.5%
22524	Percut kyphoplasty, (Lumbar)	NA	\$599.16	<b>NA</b>	<b>591.11</b>	NA	-1.3%	<b>NA</b>	<b>554.70</b>	NA	-7.4%
22525	Percut kyphoplasty, Add on	NA	\$280.82	<b>NA</b>	<b>276.89</b>	NA	-1.4%	<b>NA</b>	<b>260.04</b>	NA	-7.4%
22526	Idet, single level	\$2,036.6	\$352.83	<b>2052.89</b>	<b>353.07</b>	0.8%	0.1%	<b>1760.05</b>	<b>329.65</b>	-13.6%	-6.6%
22527	Idet, 1 or more levels	\$1,648.5	\$163.34	<b>1674.30</b>	<b>164.15</b>	1.6%	0.5%	<b>1362.96</b>	<b>150.76</b>	-17.3%	-7.7%
27093	Injection procedure for HIP arthrography – without anesthesia	\$209.2	\$72.01	<b>199.20</b>	<b>72.75</b>	-4.8%	1.0%	<b>176.73</b>	<b>69.61</b>	-15.5%	-3.3%
27095	Injection procedure for HIP arthrography – with anesthesia	\$258.8	\$81.48	<b>241.85</b>	<b>81.89</b>	-6.6%	0.5%	<b>213.15</b>	<b>79.35</b>	-17.7%	-2.6%
27096	(G0260) Injection procedure for Sacroiliac joint, arthrography	\$203.1	\$68.59	<b>187.01</b>	<b>68.94</b>	-7.9%	0.5%	<b>161.58</b>	<b>66.00</b>	-20.5%	-3.8%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$704.9	\$376.32	<b>681.38</b>	<b>377.06</b>	-3.3%	0.2%	<b>597.26</b>	<b>352.73</b>	-15.3%	-6.3%
62264	Percutaneous epidural adhesiolysis – 1 day	\$450.6	\$230.04	<b>432.67</b>	<b>229.28</b>	-4.0%	-0.3%	<b>365.72</b>	<b>215.68</b>	-18.8%	-6.2%

NA - Not Applicable % change - from 2007

As of October 31, 2008

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$584.4	\$271.73	543.50	271.56	-7.0%	-0.1%	434.96	256.07	-25.6%	-5.8%
62270	Spinal puncture, diagnostic	\$161.8	\$75.79	157.68	76.94	-2.6%	1.5%	143.55	73.58	-11.3%	-2.9%
62272	Spinal puncture, therapeutic	\$189.5	\$83.75	186.63	83.41	-1.5%	-0.4%	170.23	78.99	-10.2%	-5.7%
62273	Epidural, blood patch	\$179.3	\$112.18	170.25	111.21	-5.0%	-0.9%	152.92	104.95	-14.7%	-6.4%
62280	Subarachnoid neurolytic injection	\$347.9	\$149.70	331.36	152.73	-4.8%	2.0%	283.84	145.35	-18.4%	-2.9%
62281	Neurolytic epidural, C/T	\$303.6	\$141.74	293.65	145.11	-3.3%	2.4%	261.84	138.86	-13.7%	-2.0%
62282	Neurolytic epidural, L/S	\$369.5	\$131.13	332.12	133.69	-10.1%	2.0%	271.22	128.04	-26.6%	-2.4%
62284	Injection procedure myelography	\$238.4	\$88.68	230.05	90.27	-3.5%	1.8%	207.02	86.92	-13.2%	-2.0%
62287	Disc decompression	NA	\$554.82	NA	547.69	NA	-1.3%	NA	510.70	NA	-8.0%
62290	Injection procedure for diskogrsphy each level: lumbar	\$366.1	\$172.05	344.31	171.01	-6.0%	-0.6%	302.24	161.58	-17.4%	-6.1%
62291	Injection procedure for diskogrsphy each level: C/T	\$327.4	\$164.85	314.22	164.54	-4.0%	-0.2%	283.48	156.53	-13.4%	-5.0%
62292	Chemoneucleolysis	NA	\$534.73	NA	519.13	NA	-2.9%	NA	462.73	NA	-13.5%
62310	Cervical epidural	\$241.8	\$100.81	225.86	100.17	-6.6%	-0.6%	199.09	95.22	-17.7%	-5.5%
62311	Lumbar epidural	\$225.9	\$83.75	206.43	83.41	-8.6%	-0.4%	175.64	78.99	-22.2%	-5.7%
62318	Epidural or subarachnoid, catheterization, C/T	\$274.8	\$104.98	249.85	102.83	-9.1%	-2.0%	212.79	95.58	-22.6%	-9.0%
62319	Catheterization, epidural, L/S	\$243.7	\$97.02	223.19	95.22	-8.4%	-1.9%	192.60	89.45	-21.0%	-7.8%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or implantable reservoir; w/o laminectomy	NA	\$494.94	NA	495.89	NA	0.2%	NA	364.63	NA	-26.3%
62355	Removal or previously implanted intrathecal or epidural catheter	NA	\$400.96	NA	405.63	NA	1.2%	NA	273.02	NA	-31.9%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	NA	\$261.11	NA	264.32	NA	1.2%	NA	258.60	NA	-1.0%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	NA	\$429.38	NA	433.43	NA	0.9%	NA	360.67	NA	-16.0%
62362	Implant spine infusion pump	NA	\$538.90	NA	543.12	NA	0.8%	NA	384.47	NA	-28.7%

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
62365	Remove spine infusion device	NA	\$419.90	NA	421.62	NA	0.4%	NA	302.96	NA	-27.9%
62367	Electronic analysis of programmable pump	\$40.6	\$23.12	39.23	23.61	-3.3%	2.1%	35.71	22.72	-11.9%	-1.7%
62368	Electronic analysis of programmable pump with reprogramming	\$56.1	\$37.14	54.85	37.33	-2.2%	0.5%	51.21	35.71	-8.7%	-3.9%
63650	Implant neuroelectrodes	NA	\$424.83	NA	424.29	NA	-0.1%	NA	379.06	NA	-10.8%
63655	Implant neuroelectrodes	NA	\$796.61	NA	804.40	NA	1.0%	NA	773.63	NA	-2.9%
63660	Revise/remove neuroelectrode	NA	\$424.07	NA	425.05	NA	0.2%	NA	402.86	NA	-5.0%
63685	Implant neuroreceiver	NA	\$490.77	NA	487.89	NA	-0.6%	NA	370.40	NA	-24.5%
63688	Revise/remove neuroreceiver	NA	\$399.82	NA	401.06	NA	0.3%	NA	331.45	NA	-17.1%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$111.8	\$61.39	107.79	61.70	-3.6%	0.5%	98.10	58.79	-12.3%	-4.2%
64402	Facial nerve	\$110.3	\$72.76	108.55	71.98	-1.6%	-1.1%	100.63	67.08	-8.8%	-7.8%
64405	Greater occipital nerve	\$105.7	\$70.87	103.22	71.60	-2.4%	1.0%	94.86	68.53	-10.3%	-3.3%
64408	Vagus nerve	\$116.0	\$88.30	115.02	87.22	-0.8%	-1.2%	109.64	82.95	-5.5%	-6.1%
64410	Phrenic nerve	\$145.9	\$75.79	142.06	77.32	-2.6%	2.0%	127.32	73.58	-12.7%	-2.9%
64412	Spinal accessory nerve	\$142.5	\$65.18	139.02	67.41	-2.4%	3.4%	126.59	65.64	-11.2%	0.7%
64413	Cervical plexus	\$120.5	\$74.66	116.17	75.03	-3.6%	0.5%	105.31	71.41	-12.6%	-4.3%
64415	Brachial plexus	\$153.1	\$75.79	140.16	74.27	-8.5%	-2.0%	119.74	69.25	-21.8%	-8.6%
64417	Axillary nerve	\$159.2	\$76.17	143.97	74.27	-9.5%	-2.5%	121.18	68.89	-23.9%	-9.6%
64418	Suprascapular nerve	\$144.8	\$70.11	139.02	71.22	-4.0%	1.6%	122.99	68.17	-15.0%	-2.8%
64420	Intercostal, single	\$180.4	\$64.05	167.58	64.37	-7.1%	0.5%	146.43	61.67	-18.8%	-3.7%
64421	Intercostal, multiple, regional block	\$273.6	\$87.54	251.37	87.98	-8.1%	0.5%	216.04	84.40	-21.0%	-3.6%
64425	Ilioinguinal, Iliohypogastric	\$130.7	\$91.71	127.59	91.79	-2.4%	0.1%	118.30	87.64	-9.5%	-4.4%

NA - Not Applicable % change - from 2007

As of October 31, 2008

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
64445	Sciatic nerve	\$151.6	\$79.21	142.06	79.22	-6.3%	0.0%	124.43	75.38	-17.9%	-4.8%
64450	Other peripheral nerve or branch	\$100.4	\$71.63	100.93	71.60	0.5%	0.0%	95.58	68.17	-4.8%	-4.8%
64470	cervical and thoracic facet joint injections	\$314.5	\$101.19	284.89	101.31	-9.4%	0.1%	239.48	97.02	-23.9%	-4.1%
64472	cervical and thoracic facet joint injections add-on	\$129.6	\$64.80	119.97	64.75	-7.4%	-0.1%	103.87	62.03	-19.9%	-4.3%
64475	Paravertebral facet joint or facet joint nerve; lumbar/sacral, single	\$287.3	\$80.72	257.85	80.36	-10.2%	-0.4%	214.60	76.46	-25.3%	-5.3%
64476	Paravertebral facet joint or facet joint nerve; lumbar/sacral, add-on	\$110.3	\$48.89	101.31	48.75	-8.1%	-0.3%	87.28	46.53	-20.9%	-4.8%
64479	Cervical transforaminal epidural injections	\$336.2	\$120.89	302.41	120.74	-10.0%	-0.1%	253.55	114.69	-24.6%	-5.1%
64480	Cervical transforaminal epidural injections add-on	\$156.9	\$79.21	145.87	78.84	-7.0%	-0.5%	127.68	75.02	-18.6%	-5.3%
64483	Lumbar/sacral transforaminal epidural injections	\$336.2	\$106.87	299.36	106.64	-10.9%	-0.2%	246.70	100.99	-26.6%	-5.5%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$161.8	\$67.08	147.02	67.03	-9.1%	-0.1%	125.15	63.84	-22.7%	-4.8%
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$101.2	\$81.10	100.55	82.27	-0.6%	1.4%	93.77	78.63	-7.3%	-3.1%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$157.3	\$70.87	147.40	70.08	-6.3%	-1.1%	130.20	64.92	-17.2%	-8.4%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$164.9	\$67.46	150.82	67.03	-8.5%	-0.6%	129.48	63.12	-21.5%	-6.4%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$224.7	\$74.66	201.10	74.65	-10.5%	0.0%	169.51	71.41	-24.6%	-4.3%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$214.5	\$87.54	201.86	88.74	-5.9%	1.4%	175.28	84.40	-18.3%	-3.6%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar branch	\$459.3	\$206.16	425.81	207.19	-7.3%	0.5%	369.32	198.73	-19.6%	-3.6%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$585.5	\$327.43	563.31	328.69	-3.8%	0.4%	523.33	319.19	-10.6%	-2.5%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale under radiologic monitoring	\$672.7	\$470.69	676.43	469.23	0.6%	-0.3%	643.79	454.44	-4.3%	-3.5%
64612	Chemodeneration of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial spasm)	\$165.2	\$129.99	156.92	129.88	-5.0%	-0.1%	141.38	124.43	-14.4%	-4.3%
64613	Chemodeneration of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$175.5	\$124.68	161.49	124.54	-8.0%	-0.1%	139.22	117.58	-20.7%	-5.7%
64614	Chemodeneration of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy, multiple sclerosis)	\$194.0	\$136.81	179.77	137.49	-7.4%	0.5%	155.81	130.56	-19.7%	-4.6%

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
64620	Destruction by neurolytic agent, intercostal nerve	\$291.8	\$164.48	275.75	163.01	-5.5%	-0.9%	248.14	154.37	-15.0%	-6.1%
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	\$379.7	\$172.05	346.59	171.77	-8.7%	-0.2%	296.47	163.38	-21.9%	-5.0%
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List separately in addition to code for primary procedure)	\$139.1	\$48.13	128.35	48.37	-7.7%	0.5%	110.00	46.17	-20.9%	-4.1%
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level	\$417.3	\$225.49	391.15	226.24	-6.3%	0.3%	344.80	215.32	-17.4%	-4.5%
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (List separately in addition to code for primary procedure)	\$197.4	\$56.47	178.25	56.75	-9.7%	0.5%	150.04	54.10	-24.0%	-4.2%
64630	Destruction by neurolytic agent; pudendal nerve	\$226.6	\$180.77	228.14	185.10	0.7%	2.4%	215.32	179.61	-5.0%	-0.6%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$258.5	\$182.67	242.61	179.01	-6.1%	-2.0%	212.79	165.55	-17.7%	-9.4%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$335.0	\$157.65	316.12	157.30	-5.6%	-0.2%	280.60	149.68	-16.2%	-5.1%
72265	Myelography, lumbosacral, radiological supervision and interpretation	\$186.5	NA	172.15	NA	-7.7%	NA	147.15	NA	-21.1%	NA
72270	Myelography, 2 or more regions radiological supervision and interpretation	\$285.4	NA	265.85	NA	-6.8%	NA	229.38	NA	-19.6%	NA
72275	Epidurography, Radiological supervision and interpretation	\$120.1	NA	115.78	NA	-3.6%	NA	104.59	NA	-12.9%	NA
72275 - TC	Epidurography, Radiological supervision and interpretation	\$120.1	NA	77.70	NA	-35.3%	NA	68.17	NA	-43.3%	NA
72285	Diskography C/T Radiological supervision and interpretation	\$324.4	NA	256.71	NA	-20.9%	NA	178.89	NA	-44.9%	NA
72285 - 26	Diskography C/T Radiological supervision and interpretation	NA	\$59.50	NA	59.42	NA	-0.1%	NA	56.62	NA	-4.8%
72285 - TC	Diskography C/T Radiological supervision and interpretation	\$264.9	NA	197.29	NA	-25.5%	NA	122.27	NA	-53.8%	NA
72295	Diskography lumbar radiological supervision and interpretation	\$292.9	NA	231.57	NA	-21.0%	NA	159.41	NA	-45.6%	NA
72295 - 26	Diskography lumbar radiological supervision and interpretation	NA	\$43.58	NA	43.80	NA	0.5%	NA	41.48	NA	-4.8%
72295 - TC	Diskography lumbar radiological supervision and interpretation	\$249.4	NA	187.77	NA	-24.7%	NA	117.94	NA	-52.7%	NA
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525)	\$107.6	NA	104.36	NA	-3.0%	NA	95.58	NA	-11.2%	NA
73525 - 26	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525)	NA	\$28.42	NA	28.57	NA	0.5%	NA	27.77	NA	-2.3%
73525 - TC	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525)	\$79.2	NA	75.79	NA	-4.3%	NA	67.81	NA	-14.4%	NA

NA - Not Applicable % change - from 2007

As of October 31, 2008

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$103.1	NA	92.55	NA	-10.2%	NA	78.63	NA	-23.7%	NA
73542 - 26	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	NA	\$29.56	NA	29.33	NA	-0.8%	NA	28.13	NA	-4.8%
73542 - TC	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$73.5	NA	63.22	NA	-14.0%	NA	50.49	NA	-31.3%	NA
76000	Fluoroscopic examination	\$73.1	NA	87.98	NA	20.3%	NA	95.22	NA	30.2%	NA
76000 - 26	Fluoroscopic examination	NA	\$8.72	NA	8.76	NA	0.5%	NA	8.66	NA	-0.7%
76000 - TC	Fluoroscopic examination	\$64.4	NA	79.22	NA	23.0%	NA	86.56	NA	34.4%	NA
76001 - 26	Fluoroscopic, physician time more than one hour	NA	\$35.62	NA	36.18	NA	1.6%	NA	34.98	NA	-1.8%
77002	Fluoroscopic guidance for needle placement (76003)	\$76.9	\$0.00	75.41	23.99	-2.0%	NA	70.69		-8.1%	NA
77002 - 26	Fluoroscopic guidance for needle placement (76003 - 26)	\$27.3	\$27.29		27.42		0.5%	26.69	26.69	-2.2%	-2.2%
77002 - TC	Fluoroscopic guidance for needle placement (76003 - TC)	\$49.6	\$0.00	47.99		-3.3%	NA	44.00		-11.4%	NA
77003	Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005)	\$75.0	\$0.00	68.94	26.66	-8.1%	NA	59.15		-21.2%	NA
77003 - 26	Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005 - 26)	\$29.6	\$29.56		29.71		0.5%	28.13	28.13	-4.8%	-4.8%
77003 - TC	Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005 - TC)	\$45.5	\$0.00	39.23		-13.7%	NA	31.02		-31.8%	NA
99201	Office/outpatient visit, new	\$37.5	\$23.88	38.09	23.99	1.5%	0.5%	36.79	23.44	-1.9%	-1.8%
99202	Office/outpatient visit, new	\$65.6	\$46.99	66.27	46.85	1.1%	-0.3%	63.48	45.08	-3.2%	-4.1%
99203	Office/outpatient visit, new	\$97.0	\$72.01	97.12	71.60	0.1%	-0.6%	91.97	68.17	-5.2%	-5.3%
99204	Office/outpatient visit, new	\$148.6	\$118.62	148.92	119.21	0.2%	0.5%	141.74	113.97	-4.6%	-3.9%
99205	Office/outpatient visit, new	\$186.8	\$155.38	187.77	155.39	0.5%	0.0%	178.89	148.23	-4.3%	-4.6%
99211	Office/outpatient visit, est	\$20.8	\$9.10	20.57	9.14	-1.3%	0.5%	18.75	8.66	-10.0%	-4.8%
99212	Office/outpatient visit, est	\$38.7	\$24.25	39.23	23.99	1.5%	-1.1%	37.15	23.08	-3.9%	-4.8%
99213	Office/outpatient visit, est	\$62.9	\$45.48	63.61	46.09	1.1%	1.3%	61.31	44.72	-2.5%	-1.7%

NA - Not Applicable % change - from 2007

As of October 31, 2008

CPT	Description	2007 (CF=\$37.8975)		2008 Final (CF=\$38.0870)				2009 Final (CF=\$36.0666)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility % change	Facility % change
99214	Office/outpatient visit, est	\$95.5	\$71.63	96.36	71.98	0.9%	0.5%	92.33	69.25	-3.3%	-3.3%
99215	Office/outpatient visit, est	\$129.6	\$103.08	130.64	103.22	0.8%	0.1%	124.79	98.46	-3.7%	-4.5%
99221	Initial hospital care	NA	\$92.09	NA	93.31	NA	1.3%	NA	89.81	NA	-2.5%
99222	Initial hospital care	NA	\$128.85	NA	128.73	NA	-0.1%	NA	122.63	NA	-4.8%
99223	Initial hospital care	NA	\$187.97	NA	188.91	NA	0.5%	NA	180.33	NA	-4.1%
99231	Subsequent hospital care	NA	\$38.66	NA	38.85	NA	0.5%	NA	37.15	NA	-3.9%
99232	Subsequent hospital care	NA	\$68.97	NA	69.70	NA	1.1%	NA	66.72	NA	-3.3%
99233	Subsequent hospital care	NA	\$98.53	NA	99.79	NA	1.3%	NA	95.58	NA	-3.0%
99241	Office consultation	\$50.8	\$34.49	51.04	34.66	0.5%	0.5%	48.69	33.18	-4.1%	-3.8%
99242	Office consultation	\$94.4	\$72.38	95.22	72.75	0.9%	0.5%	90.89	69.97	-3.7%	-3.3%
99243	Office consultation	\$129.6	\$100.43	130.64	101.31	0.8%	0.9%	124.79	97.38	-3.7%	-3.0%
99244	Office consultation	\$191.0	\$157.27	192.72	159.20	0.9%	1.2%	184.30	154.00	-3.5%	-2.1%
99245	Office consultation	\$237.2	\$198.96	238.04	199.96	0.3%	0.5%	226.50	192.24	-4.5%	-3.4%
99251	Inpatient consultation	NA	\$49.65	NA	50.27	NA	1.3%	NA	48.69	NA	-1.9%
99252	Inpatient consultation	NA	\$79.21	NA	79.22	NA	0.0%	NA	75.74	NA	-4.4%
99253	Inpatient consultation	NA	\$117.48	NA	118.83	NA	1.1%	NA	114.69	NA	-2.4%
99254	Inpatient consultation	NA	\$169.02	NA	171.39	NA	1.4%	NA	165.55	NA	-2.1%
99255	Inpatient consultation	NA	\$210.33	NA	211.00	NA	0.3%	NA	201.97	NA	-4.0%