

2009 HOPD Final Payment Rates

CPT	Description	Transitional Payment Rate						
		2007	2008	2009		% of Change 2009F from		
				Proposed	Final	2009 P	2008	2007
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20550	tendon sheath, ligament injection	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20551	Tendon origin/insertion	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20553	Single or multiple trigger point(s), three or more muscle groups	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20600	Small joint injection	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20605	Intermediate joint injection	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
20610	Major joint injection	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
22520	Vertebroplasty (Thoracic)	\$1,545	\$1,859	\$1,933.7	\$1,973.95	2.1%	6.2%	27.8%
22521	Vertebroplasty (Lumbar)	\$1,545	\$1,859	\$1,933.7	\$1,973.95	2.1%	6.2%	27.8%
22522	Vertebroplasty - Additional	\$1,545	\$1,859	\$1,933.7	\$1,973.95	2.1%	6.2%	27.8%
22526	IDET, single level	\$1,545	\$1,859	\$1,933.7				
22527	IDET, 1 or more levels	\$1,545	\$1,859	\$1,933.7				
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$748	\$923	\$482.8	\$473.78	-1.9%	-48.7%	-36.7%
62264	Percutaneous epidural adhesiolysis - 1 day	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$184	\$543	\$482.8	\$473.78	-1.9%	-12.8%	157.7%
62269	Biopsy of spinal cord, percutaneous needle	\$377	\$595	\$631.6	\$632.75	0.2%	6.4%	67.7%
62270	Spinal puncture, diagnostic	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
62272	Spinal puncture, therapeutic	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
62273	Epidural, blood patch	\$352	\$261	\$242.6	\$241.11	-0.6%	-7.6%	-31.5%
62280	Subarachnoid neurolytic injection	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62281	Neurolytic epidural, C/T	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62282	Neurolytic epidural, L/S	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62287	Disc decompression	\$2,038	\$2,119	\$2,376.3	\$2,375.49	0.0%	12.1%	16.6%
62292	Chemoneucleolysis	\$184	\$543	\$482.8	\$473.78	-1.9%	-12.8%	157.7%
62310	Cervical epidural	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62311	Lumbar epidural	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62318	Epidural or subarachnoid, catheterization, C/T	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62319	Catheterization, epidural, L/S	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or	\$1,896	\$2,311	\$2,772.0	\$2,777.19	0.2%	20.2%	46.5%

CPT	Description	Transitional Payment Rate						
		2007	2008	2009		% of Change 2009F from		
				Proposed	Final	2009 P	2008	2007
62355	Removal or previously implanted intrathecal or epidural catheter	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	\$6,923	\$2,311	\$2,772.0	\$2,777.19	0.2%	20.2%	-59.9%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	\$10,720	\$11,713	\$12,131.0	\$12,282.40	1.2%	4.9%	14.6%
62362	Implant spine infusion pump	\$10,720	\$11,713	\$12,131.0	\$12,282.40	1.2%	4.9%	14.6%
62365	Remove spine infusion device	\$2,038	\$2,119	\$2,376.3	\$2,375.49	0.0%	12.1%	16.6%
62367	Electronic analysis of programmable pump	\$178	\$148	\$113.3	\$109.24	-3.5%	-26.3%	-38.6%
62368	Electronic analysis of programmable pump with reprogramming	\$178	\$148	\$173.5	\$162.82	-6.1%	9.9%	-8.5%
63650	Implant neuroelectrodes	\$3,477	\$4,063	\$4,231.1	\$4,206.45	-0.6%	3.5%	21.0%
63655	Implant neuroelectrodes	\$5,175	\$5,278	\$5,287.0	\$5,476.61	3.6%	3.8%	5.8%
63660	Revise/remove neuroelectrode	\$1,096	\$1,431	\$1,278.1	\$1,297.25	1.5%	-9.4%	18.3%
63685	Implant neuroreceiver	\$11,164	\$15,337	\$15,891.6	\$15,566.65	-2.0%	1.5%	39.4%
63688	Revise/remove neuroreceiver	\$2,186	\$2,192	\$1,911.6	\$1,951.81	2.1%	-11.0%	-10.7%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
64402	Facial nerve	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
64405	Greater occipital nerve	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64408	Vagus nerve	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64410	Phrenic nerve	\$352	\$449	\$482.8	\$473.78	-1.9%	5.4%	34.6%
64412	Spinal accessory nerve	\$352	\$449	\$482.8	\$473.78	-1.9%	5.4%	34.6%
64413	Cervical plexus	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64415	Brachial plexus	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64417	Axillary nerve	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64418	Suprascapular nerve	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64420	Intercostal, single	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64421	Intercostal, multiple, regional block	\$352	\$261	\$482.8	\$473.78	-1.9%	81.6%	34.6%
64425	Ilioinguinal, Iliohypogastric	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64445	Sciatic nerve	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64450	Other peripheral nerve or branch	\$139	\$261	\$242.6	\$241.11	-0.6%	-7.6%	73.5%
64470	cervical and thoracic facet joint injections	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64472	cervical and thoracic facet joint injections add-on	\$352	\$261	\$242.6	\$241.11	-0.6%	-7.6%	-31.5%
64475	Paravertebral facet joint or facet joint nerve; lumbar/sacral, single	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64476	Paravertebral facet joint or facet joint nerve; lumbar/sacral, add-on	\$352	\$148	\$164.6	\$164.30	-0.2%	11.1%	-53.3%

CPT	Description	Transitional Payment Rate						
		2007	2008	2009		% of Change 2009F from		
				Proposed	Final	2009 P	2008	2007
64479	Cervical transforaminal epidural injections	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64480	Cervical transforaminal epidural injections add-on	\$391	\$261	\$242.6	\$241.11	-0.6%	-7.6%	-38.3%
64483	Lumbar/sacral transforaminal epidural injections	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$391	\$261	\$242.6	\$241.11	-0.6%	-7.6%	-38.3%
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
64612	Chemodeneration of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial	\$139	\$148	\$164.6	\$164.30	-0.2%	11.1%	18.2%
64613	Chemodeneration of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$139	\$148	\$242.6	\$241.11	-0.6%	63.1%	73.5%
64614	Chemodeneration of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy,	\$139	\$148	\$242.6	\$241.11	-0.6%	63.1%	73.5%
64620	Destruction by neurolytic agent, intercostal nerve	\$748	\$449	\$482.8	\$473.78	-1.9%	5.4%	-36.7%
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List	\$391	\$449	\$482.8	\$473.78	-1.9%	5.4%	21.2%
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level	\$748	\$923	\$962.7	\$949.39	-1.4%	2.9%	26.9%
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (List	\$391	\$148	\$164.6	\$164.30	-0.2%	11.1%	-58.0%
64630	Destruction by neurolytic agent; pudendal nerve	\$352	\$449	\$482.8	\$473.78	-1.9%	5.4%	34.6%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$352	\$449	\$482.8	\$473.78	-1.9%	5.4%	34.6%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391	\$923	\$962.7	\$949.39	-1.4%	2.9%	142.8%
72265	Contrast x-ray, lower spine	\$157	\$481	\$385.1	\$475.26	23.4%	-1.3%	202.7%
72270	Contrast x-ray of spine	\$157	\$481	\$385.1	\$475.26	23.4%	-1.3%	202.7%
72285	Diskography C/T Radiological supervision and interpretation	\$982	\$1,285	\$1,358.3	\$1,504.20	10.7%	17.0%	53.2%
72295	Diskography lumbar radiological supervision and interpretation	\$982	\$1,285	\$1,358.3	\$1,504.20	10.7%	17.0%	53.2%
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not	\$227	\$255	\$269.1	\$265.39	-1.4%	4.1%	17.0%
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$227	\$255	\$269.1	\$265.39	-1.4%	4.1%	17.0%
76000	Fluoroscopic examination	\$79	\$85	\$85.3	\$83.21	-2.4%	-1.6%	4.9%
G0260	(27096) Injection procedure for Sacroiliac joint, arthrography	\$352	\$449	\$482.8	\$473.78	-1.9%	5.4%	34.6%