

2010 Proposed - Physician Payment Rates

CPT	Description	2007 (CF=\$37.8975)		2008 (CF=\$38.087)		2009 (CF=\$36.0666)		2010 Proposed (CF=\$28.3208)		% Of change from 2009	
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility	Facility
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	75.79	59.50	74.65	58.27	69.61	54.82	56.36	44.18	-19.0%	-19.4%
20550	tendon sheath, ligament injection	57.98	41.31	57.51	41.51	53.74	40.03	43.33	32.29	-19.4%	-19.4%
20551	Tendon origin/insertion	56.85	43.58	56.75	43.42	53.02	40.76	45.31	33.70	-14.5%	-17.3%
20552	Single or multiple trigger point(s), one or two muscle group(s)	53.06	34.87	51.80	35.42	47.97	34.26	40.50	29.45	-15.6%	-14.0%
20553	Single or multiple trigger point(s), three or more muscle groups	59.50	38.66	57.89	39.23	53.38	37.87	46.45	32.85	-13.0%	-13.3%
20600	Small joint injection	53.06	40.93	53.32	40.75	50.49	38.23	40.78	30.02	-19.2%	-21.5%
20605	Intermediate joint injection	57.60	42.07	57.51	41.90	54.10	39.67	44.46	31.72	-17.8%	-20.0%
20610	Major joint injection	71.25	50.02	72.75	49.89	69.97	47.61	59.47	38.80	-15.0%	-18.5%
22520	Vertebroplasty (Thoracic)	2566.42	596.13	2422.33	599.11	2091.86	554.34	1480.33	393.38	-29.2%	-29.0%
22521	Vertebroplasty (Lumbar)	2390.20	564.29	2309.98	565.59	2036.68	522.24	1494.77	371.29	-26.6%	-28.9%
22522	Vertebroplasty - Additional	NA	254.29	NA	255.56	NA	244.89	NA	177.01	NA	-27.7%
22523	Percut kyphoplasty, (Thoracic)	NA	626.45	NA	617.39	NA	579.59	NA	445.49	NA	-23.1%
22525	Percut kyphoplasty, Add on	NA	280.82	NA	276.89	NA	260.04	NA	202.49	NA	-22.1%
22526	Idet, single level	2036.61	352.83	2052.89	353.07	1760.05	329.65	1629.86	267.07	-7.4%	-19.0%
22527	Idet, 1 or more levels	1648.54	163.34	1674.30	164.15	1362.96	150.76	1333.06	122.35	-2.2%	-18.8%
27093	Injection procedure for HIP arthrography – without anesthesia	209.19	72.01	199.20	72.75	176.73	69.61	137.92	55.51	-22.0%	-20.3%
27095	Injection procedure for HIP arthrography – with anesthesia	258.84	81.48	241.85	81.89	213.15	79.35	168.79	64.57	-20.8%	-18.6%
27096	(G0260) Injection procedure for Sacroiliac joint, arthrography	203.13	68.59	187.01	68.94	161.58	66.00	141.04	57.77	-12.7%	-12.5%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	704.89	376.32	681.38	377.06	597.26	352.73	533.85	300.48	-10.6%	-14.8%
62264	Percutaneous epidural adhesiolysis – 1 day	450.60	230.04	432.67	229.28	365.72	215.68	324.84	192.02	-11.2%	-11.0%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	584.38	271.73	543.50	271.56	434.96	256.07	307.85	198.25	-29.2%	-22.6%

NA - Not Applicable % change - from 2009

As of July 1, 2009

CPT	Description	2007 (CF=\$37.8975)		2008 (CF=\$38.087)		2009 (CF=\$36.0666)		2010 Proposed (CF=\$28.3208)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2009 Non-Facility Facility	
62270	Spinal puncture, diagnostic	161.82	75.79	157.68	76.94	143.55	73.58	111.58	58.91	-22.3%	-19.9%
62272	Spinal puncture, therapeutic	189.49	83.75	186.63	83.41	170.23	78.99	143.87	63.72	-15.5%	-19.3%
62273	Epidural, blood patch	179.26	112.18	170.25	111.21	152.92	104.95	128.86	88.93	-15.7%	-15.3%
62280	Subarachnoid neurolytic injection	347.90	149.70	331.36	152.73	283.84	145.35	237.05	126.88	-16.5%	-12.7%
62281	Neurolytic epidural, C/T	303.56	141.74	293.65	145.11	261.84	138.86	227.13	122.06	-13.3%	-12.1%
62282	Neurolytic epidural, L/S	369.50	131.13	332.12	133.69	271.22	128.04	213.82	113.00	-21.2%	-11.7%
62284	Injection procedure myelography	238.38	88.68	230.05	90.27	207.02	86.92	148.97	66.27	-28.0%	-23.8%
62287	Disc decompression	NA	554.82	NA	547.69	NA	510.70	NA	419.15	NA	-17.9%
62290	Injection procedure for diskogrsphy each level: lumbar	366.09	172.05	344.31	171.01	302.24	161.58	249.79	135.66	-17.4%	-16.0%
62291	Injection procedure for diskogrsphy each level: C/T	327.43	164.85	314.22	164.54	283.48	156.53	239.03	131.41	-15.7%	-16.0%
62292	Chemoneucleolysis	NA	534.73	NA	519.13	NA	462.73	NA	394.51	NA	-14.7%
62310	Cervical epidural	241.79	100.81	225.86	100.17	199.09	95.22	178.70	84.68	-10.2%	-11.1%
62311	Lumbar epidural	225.87	83.75	206.43	83.41	175.64	78.99	149.53	68.82	-14.9%	-12.9%
62318	Epidural or subarachnoid, catheterization, C/T	274.76	104.98	249.85	102.83	212.79	95.58	173.89	79.02	-18.3%	-17.3%
62319	Catheterization, epidural, L/S	243.68	97.02	223.19	95.22	192.60	89.45	163.13	75.62	-15.3%	-15.5%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or implantable reservoir; w/o laminectomy	NA	494.94	NA	495.89	NA	364.63	NA	123.76	NA	-66.1%
62355	Removal or previously implanted intrathecal or epidural catheter	NA	400.96	NA	405.63	NA	273.02	NA	235.63	NA	-13.7%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	NA	261.11	NA	264.32	NA	258.60	NA	239.88	NA	-7.2%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	NA	429.38	NA	433.43	NA	360.67	NA	302.47	NA	-16.1%
62362	Implant spine infusion pump	NA	538.90	NA	543.12	NA	384.47	NA	322.86	NA	-16.0%
62365	Remove spine infusion device	NA	419.90	NA	421.62	NA	302.96	NA	256.02	NA	-15.5%
62367	Electronic analysis of programmable pump	40.55	23.12	39.23	23.61	35.71	22.72	32.00	20.11	-10.4%	-11.5%

CPT	Description	2007 (CF=\$37.8975)		2008 (CF=\$38.087)		2009 (CF=\$36.0666)		2010 Proposed (CF=\$28.3208)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2009 Non-Facility Facility	
62368	Electronic analysis of programmable pump with reprogramming	56.09	37.14	54.85	37.33	51.21	35.71	47.01	31.44	-8.2%	-12.0%
63650	Implant neuroelectrodes	NA	424.83	NA	424.29	NA	379.06	NA	220.62	NA	-41.8%
63655	Implant neuroelectrodes	NA	796.61	NA	804.40	NA	773.63	NA	656.48	NA	-15.1%
63660	Revise/remove neuroelectrode	NA	424.07	NA	425.05	NA	402.86	NA	357.13	NA	-11.4%
63685	Implant neuroreceiver	NA	490.77	NA	487.89	NA	370.40	NA	244.41	NA	-34.0%
63688	Revise/remove neuroreceiver	NA	399.82	NA	401.06	NA	331.45	NA	284.91	NA	-14.0%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	111.80	61.39	107.79	61.70	98.10	58.79	86.10	52.11	-12.2%	-11.4%
64402	Facial nerve	110.28	72.76	108.55	71.98	100.63	67.08	88.36	58.62	-12.2%	-12.6%
64405	Greater occipital nerve	105.73	70.87	103.22	71.60	94.86	68.53	86.38	60.89	-8.9%	-11.1%
64408	Vagus nerve	115.97	88.30	115.02	87.22	109.64	82.95	92.61	69.67	-15.5%	-16.0%
64410	Phrenic nerve	145.91	75.79	142.06	77.32	127.32	73.58	116.12	66.27	-8.8%	-9.9%
64412	Spinal accessory nerve	142.49	65.18	139.02	67.41	126.59	65.64	117.53	57.77	-7.2%	-12.0%
64413	Cervical plexus	120.51	74.66	116.17	75.03	105.31	71.41	88.64	60.89	-15.8%	-14.7%
64415	Brachial plexus	153.11	75.79	140.16	74.27	119.74	69.25	94.31	56.08	-21.2%	-19.0%
64417	Axillary nerve	159.17	76.17	143.97	74.27	121.18	68.89	93.46	54.94	-22.9%	-20.2%
64418	Suprascapular nerve	144.77	70.11	139.02	71.22	122.99	68.17	104.22	58.91	-15.3%	-13.6%
64420	Intercostal, single	180.39	64.05	167.58	64.37	146.43	61.67	122.91	53.81	-16.1%	-12.8%
64421	Intercostal, multiple, regional block	273.62	87.54	251.37	87.98	216.04	84.40	181.54	74.20	-16.0%	-12.1%
64425	Ilioinguinal, iliohypogastric	130.75	91.71	127.59	91.79	118.30	87.64	102.80	75.90	-13.1%	-13.4%
64445	Sciatic nerve	151.59	79.21	142.06	79.22	124.43	75.38	99.69	62.59	-19.9%	-17.0%
64450	Other peripheral nerve or branch	100.43	71.63	100.93	71.60	95.58	68.17	79.02	53.81	-17.3%	-21.1%
64470	cervical and thoracic facet joint injections	314.55	101.19	284.89	101.31	239.48	97.02	195.98	85.53	-18.2%	-11.8%

CPT	Description	2007 (CF=\$37.8975)		2008 (CF=\$38.087)		2009 (CF=\$36.0666)		2010 Proposed (CF=\$28.3208)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2009 Non-Facility Facility	
64472	cervical and thoracic facet joint injections add-on	129.61	64.80	119.97	64.75	103.87	62.03	87.79	54.94	-15.5%	-11.4%
64475	Paravertebral facet joint or facet joint nerve; lumbar/sacral, single	287.26	80.72	257.85	80.36	214.60	76.46	179.27	67.12	-16.5%	-12.2%
64476	Paravertebral facet joint or facet joint nerve; lumbar/sacral, add-on	110.28	48.89	101.31	48.75	87.28	46.53	73.63	40.78	-15.6%	-12.3%
64479	Cervical transforaminal epidural injections	336.15	120.89	302.41	120.74	253.55	114.69	211.56	102.24	-16.6%	-10.9%
64480	Cervical transforaminal epidural injections add-on	156.90	79.21	145.87	78.84	127.68	75.02	110.73	67.12	-13.3%	-10.5%
64483	Lumbar/sacral transforaminal epidural injections	336.15	106.87	299.36	106.64	246.70	100.99	202.21	88.64	-18.0%	-12.2%
64484	Lumbar/sacral transforaminal epidural injections add-on	161.82	67.08	147.02	67.03	125.15	63.84	105.35	56.08	-15.8%	-12.2%
64505	Injection, anesthetic agent; sphenopalatine ganglion	101.19	81.10	100.55	82.27	93.77	78.63	73.35	63.44	-21.8%	-19.3%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	157.27	70.87	147.40	70.08	130.20	64.92	126.31	61.17	-3.0%	-5.8%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	164.85	67.46	150.82	67.03	129.48	63.12	113.85	56.92	-12.1%	-9.8%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	224.73	74.66	201.10	74.65	169.51	71.41	143.30	63.72	-15.5%	-10.8%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	214.50	87.54	201.86	88.74	175.28	84.40	145.57	73.07	-17.0%	-13.4%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar branch	459.32	206.16	425.81	207.19	369.32	198.73	295.39	169.08	-20.0%	-14.9%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	585.52	327.43	563.31	328.69	523.33	319.19	593.32	318.61	13.4%	-0.2%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale under radiologic monitoring	672.68	470.69	676.43	469.23	643.79	454.44	560.47	372.42	-12.9%	-18.0%
64612	Chemodestruction of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial spasm)	165.23	129.99	156.92	129.88	141.38	124.43	120.08	111.58	-15.1%	-10.3%
64613	Chemodestruction of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	175.47	124.68	161.49	124.54	139.22	117.58	114.70	105.64	-17.6%	-10.2%
64614	Chemodestruction of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy, multiple sclerosis)	194.04	136.81	179.77	137.49	155.81	130.56	127.73	115.55	-18.0%	-11.5%
64620	Destruction by neurolytic agent, intercostal nerve	291.81	164.48	275.75	163.01	248.14	154.37	221.47	137.36	-10.7%	-11.0%
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	379.73	172.05	346.59	171.77	296.47	163.38	256.87	148.97	-13.4%	-8.8%
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List separately in addition to code for primary procedure)	139.08	48.13	128.35	48.37	110.00	46.17	96.29	41.35	-12.5%	-10.4%
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level	417.25	225.49	391.15	226.24	344.80	215.32	308.13	199.10	-10.6%	-7.5%

CPT	Description	2007 (CF=\$37.8975)		2008 (CF=\$38.087)		2009 (CF=\$36.0666)		2010 Proposed (CF=\$28.3208)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2009 Non-Facility Facility	
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (List separately in addition to code for primary procedure)	197.45	56.47	178.25	56.75	150.04	54.10	129.71	48.43	-13.5%	-10.5%
64630	Destruction by neurolytic agent; pudendal nerve	226.63	180.77	228.14	185.10	215.32	179.61	164.26	140.47	-23.7%	-21.8%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	258.46	182.67	242.61	179.01	212.79	165.55	160.01	128.01	-24.8%	-22.7%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	335.01	157.65	316.12	157.30	280.60	149.68	233.08	126.88	-16.9%	-15.2%
72265	Myelography, lumbosacral, radiological supervision and interpretation	186.46	NA	172.15	NA	147.15	NA	92.04	NA	-37.5%	NA
72270	Myelography, 2 or more regions radiological supervision and interpretation	285.37	NA	265.85	NA	229.38	NA	143.02	NA	-37.7%	NA
72275	Epidurography, Radiological supervision and interpretation	120.14	NA	115.78	NA	104.59	NA	86.38	NA	-17.4%	NA
72275 - TC	Epidurography, Radiological supervision and interpretation	120.14	NA	77.70	NA	68.17	NA	54.94	NA	-19.4%	NA
72285	Diskography C/T Radiological supervision and interpretation	324.40	NA	256.71	NA	178.89	NA	89.49	NA	-50.0%	NA
72285 - 26	Diskography C/T Radiological supervision and interpretation	NA	59.50	NA	59.42	NA	56.62	NA	49.00	-13.5%	-13.5%
72285 - TC	Diskography C/T Radiological supervision and interpretation	264.90	NA	197.29	NA	122.27	NA	40.50	NA	-66.9%	NA
72295	Diskography lumbar radiological supervision and interpretation	292.95	NA	231.57	NA	159.41	NA	75.62	NA	-52.6%	NA
72295 - 26	Diskography lumbar radiological supervision and interpretation	NA	43.58	NA	43.80	NA	41.48	NA	34.55	-16.7%	-16.7%
72295 - TC	Diskography lumbar radiological supervision and interpretation	249.37	NA	187.77	NA	117.94	NA	41.07	NA	-65.2%	NA
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525)	107.63	NA	104.36	NA	95.58	NA	73.35	NA	-23.3%	NA
73525 - 26	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525)	NA	28.42	NA	28.57	NA	27.77	NA	22.37	-19.4%	-19.4%
73525 - TC	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525)	79.21	NA	75.79	NA	67.81	NA	50.98	NA	-24.8%	NA
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	103.08	NA	92.55	NA	78.63	NA	62.87	NA	-20.0%	NA
73542 - 26	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	NA	29.56	NA	29.33	NA	28.13	NA	24.64	-12.4%	-12.4%
73542 - TC	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	73.52	NA	63.22	NA	50.49	NA	38.23	NA	-24.3%	NA
76000	Fluoroscopic examination	73.14	NA	87.98	NA	95.22	NA	82.98	NA	-12.9%	NA
76000 - 26	Fluoroscopic examination	NA	8.72	NA	8.76	NA	8.66	NA	7.08	-18.2%	-18.2%

CPT	Description	2007 (CF=\$37.8975)		2008 (CF=\$38.087)		2009 (CF=\$36.0666)		2010 Proposed (CF=\$28.3208)			
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2009 Non-Facility Facility	
76000 - TC	Fluoroscopic examination	64.43	NA	79.22	NA	86.56	NA	75.90	NA	-12.3%	NA
76001 - 26	Fluoroscopic, physician time more than one hour	NA	35.62	NA	36.18	NA	34.98	NA	27.75	-20.7%	-20.7%
77002	Fluoroscopic guidance for needle placement (76003)	76.93	0.00	75.41		70.69		55.51		-21.5%	NA
77002 - 26	Fluoroscopic guidance for needle placement (76003 - 26)	27.29	27.29		27.42	26.69	26.69	22.37	22.37	-16.2%	-16.2%
77002 - TC	Fluoroscopic guidance for needle placement (76003 - TC)	49.65	0.00	47.99		44.00		33.42		-24.1%	NA
77003	Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005)	75.04	0.00	68.94		59.15		47.58		-19.6%	NA
77003 - 26	Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005 - 26)	29.56	29.56		29.71	28.13	28.13	24.64	24.64	-12.4%	-12.4%
77003 - TC	Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005 - TC)	45.48	0.00	39.23		31.02		22.94		-26.0%	NA
99201	Office/outpatient visit, new	37.52	23.88	38.09	23.99	36.79	23.44	32.29	20.67	-12.2%	-11.8%
99202	Office/outpatient visit, new	65.56	46.99	66.27	46.85	63.48	45.08	55.79	39.37	-12.1%	-12.7%
99203	Office/outpatient visit, new	97.02	72.01	97.12	71.60	91.97	68.17	81.00	60.04	-11.9%	-11.9%
99204	Office/outpatient visit, new	148.56	118.62	148.92	119.21	141.74	113.97	124.89	101.67	-11.9%	-10.8%
99205	Office/outpatient visit, new	186.83	155.38	187.77	155.39	178.89	148.23	155.48	130.56	-13.1%	-11.9%
99241	Office consultation	50.78	34.49	51.04	34.66	48.69	33.18	36.82	26.06	-24.4%	-21.5%
99242	Office consultation	94.36	72.38	95.22	72.75	90.89	69.97	69.10	54.66	-24.0%	-21.9%
99243	Office consultation	129.61	100.43	130.64	101.31	124.79	97.38	95.44	76.47	-23.5%	-21.5%
99244	Office consultation	191.00	157.27	192.72	159.20	184.30	154.00	142.74	121.21	-22.6%	-21.3%
99245	Office consultation	237.24	198.96	238.04	199.96	226.50	192.24	176.16	151.80	-22.2%	-21.0%