



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2011 ASC Proposed Payment Rates

CPT	Description	Transitional Payment Rate						% of Change 2011(P) from			
		2007	2008	2009	2010	2011P	2010	2009	2008	2007	
22520	Vertebroplasty (Thoracic)	\$1,339.0	\$1,306.38	\$1,255.87	\$1,274.83	\$1,234.93	-3.1%	-1.7%	-5.5%	-7.8%	
22521	Vertebroplasty (Lumbar)	\$1,339.0	\$1,306.38	\$1,255.87	\$1,274.83	\$1,234.93	-3.1%	-1.7%	-5.5%	-7.8%	
22522	Vertebroplasty - Additional	\$1,339.0	\$1,306.38	\$1,255.87	\$1,274.83	\$1,234.93	-3.1%	-1.7%	-5.5%	-7.8%	
22523	Percut kyphoplasty, thor		\$3,288.25	\$3,495.21	\$3,551.40	\$3,371.49	-5.1%	-3.5%	2.5%		
22524	Percut kyphoplasty, Lumbar		\$3,288.25	\$3,495.21	\$3,551.40	\$3,371.49	-5.1%	-3.5%	2.5%		
22525	Percut kyphoplasty, add-on		\$3,288.25	\$3,495.21	\$3,551.40	\$3,371.49	-5.1%	-3.5%	2.5%		
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$333.0	\$399.70	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-26.4%	-11.7%	
62264	Percutaneous epidural adhesiolysis – 1 day	\$333.0	\$399.70	\$452.39	\$477.56	\$506.77	6.1%	12.0%	26.8%	52.2%	
62268	Percutaneous aspiration, spinal cord cyst or syrx	\$183.8	\$226.12	\$234.37	\$260.30	\$294.03	13.0%	25.5%	30.0%	59.9%	
62269	Biopsy of spinal cord, percutaneous needle	\$333.0	\$346.37	\$355.66	\$370.08	\$377.22	1.9%	6.1%	8.9%	13.3%	
62270	Spinal puncture, diagnostic	\$139.0	\$146.65	\$141.43	\$145.08	\$147.76	1.8%	4.5%	0.8%	6.3%	
62272	Spinal puncture, therapeutic	\$139.0	\$146.65	\$141.43	\$145.08	\$147.76	1.8%	4.5%	0.8%	6.3%	
62273	Epidural, blood patch	\$333.0	\$292.15	\$236.01	\$191.48	\$294.03	53.6%	24.6%	0.6%	-11.7%	
62280	Subarachnoid neurolytic injection	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%	
62281	Neurolytic epidural, C/T	\$333.0	\$322.77	\$307.09	\$295.81	\$294.03	-0.6%	-4.3%	-8.9%	-11.7%	
62282	Neurolytic epidural, L/S	\$333.0	\$322.77	\$307.09	\$295.81	\$294.03	-0.6%	-4.3%	-8.9%	-11.7%	
62287	Disc decompression	\$1,339.0	\$1,348.61	\$1,378.55	\$1,440.35	\$1,429.51	-0.8%	3.7%	6.0%	6.8%	
62310	Cervical epidural	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%	
62311	Lumbar epidural	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%	



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2011 ASC Proposed Payment Rates

CPT	Description	Transitional Payment Rate						% of Change 2011(P) from			
		2007	2008	2009	2010	2011P	2010	2009	2008	2007	
62318	Epidural or subarachnoid, catheterization, C/T	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%	
62319	Catheterization, epidural, L/S	\$333.0	\$322.77	\$307.09	\$295.98	\$506.77	71.2%	65.0%	57.0%	52.2%	
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an	\$446.0	\$709.98	\$1,065.88	\$1,339.38	\$1,598.43	19.3%	50.0%	125.1%	258.4%	
62355	Removal or previously implanted intrathecal or epidural catheter	\$446.0	\$484.45	\$507.49	\$504.58	\$506.77	0.4%	-0.1%	4.6%	13.6%	
62360	Implant or replacement of device for intrathecal or epidural drug infusion;	\$446.0	\$709.98	\$1,065.88	\$1,339.38	\$1,598.43	19.3%	50.0%	125.1%	258.4%	
62361	Implantation or replacement of device for epidural drug infusion; non-programmable	\$446.0	\$10,157.07	\$10,941.40	\$12,211.86	\$12,192.91	-0.2%	11.4%	20.0%	2633.8%	
62362	Implant spine infusion pump	\$446.0	\$10,157.07	\$10,941.40	\$12,211.86	\$12,192.91	-0.2%	11.4%	20.0%	2633.8%	
62365	Remove spine infusion device	\$446.0	\$678.86	\$943.17	\$1,223.77	\$1,429.51	16.8%	51.6%	110.6%	220.5%	
63650	Implant neuroelectrodes	\$446.0	\$2,909.36	\$3,181.15	\$3,495.96	\$3,605.58	3.1%	13.3%	23.9%	708.4%	
63660	Revise/remove neuroelectrode	\$333.0	\$482.36	\$558.67							
63661	Remove spine eltrd perq aray (New Code)				\$786.70	\$835.30	6.2%				
63662	Remove spine eltrd plate (New Code)				\$786.70	\$835.30	6.2%				
63663	Revise spine eltrd perq aray (New Code)				\$786.70	\$835.30	6.2%				
63664	Revise spine eltrd plate (New Code)				\$786.70	\$835.30	6.2%				
63685	Implant neuroreceiver	\$446.0	\$13,727.20	\$14,142.99	\$12,877.21	\$13,434.66	4.3%	-5.0%	-2.1%	2912.3%	
63688	Revise/remove neuroreceiver	\$333.0	\$605.97	\$758.63	\$1,354.69	\$1,126.62	-16.8%	48.5%	85.9%	238.3%	
64410	Phrenic nerve	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%	
64415	Brachial plexus	\$139.0	\$146.65	\$141.43	\$145.08	\$147.76	1.8%	4.5%	0.8%	6.3%	
64417	Axillary nerve	\$139.0	\$146.65	\$141.43	\$145.08	\$147.76	1.8%	4.5%	0.8%	6.3%	



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2011 ASC Proposed Payment Rates

CPT	Description	Transitional Payment Rate					% of Change 2011(P) from			
		2007	2008	2009	2010	2011P	2010	2009	2008	2007
64420	Intercostal, single	\$139.0	\$146.65	\$141.43	\$145.08	\$147.76	1.8%	4.5%	0.8%	6.3%
64421	Intercostal, multiple, regional block	\$333.0	\$292.15	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	0.6%	-11.7%
64479	Cervical transforaminal epidural injections	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%
64480	Cervical transforaminal epidural injections add-on	\$333.0	\$292.15	\$236.01	\$191.48	\$147.76	-22.8%	-37.4%	-49.4%	-55.6%
64483	Lumbar/sacral transforaminal epidural injections	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$333.0	\$292.15	\$236.01	\$191.84	\$147.76	-23.0%	-37.4%	-49.4%	-55.6%
64490	Cervical and thoracic facet joint injections, 1st level (old 64470)	\$333.0	\$322.77	\$307.09	\$288.84	\$294.03	1.8%	-4.3%	-8.9%	-11.7%
64491	Cervical and thoracic facet joint injections, 2nd levels (old 64472)	\$333.0	\$292.15	\$236.01	\$102.38	\$101.54	-0.8%	-57.0%	-65.2%	-69.5%
64492	Cervical and thoracic facet joint injections, 3rd Level)	\$333.0	\$292.15	\$236.01	\$102.38	\$101.54	-0.8%	-57.0%	-65.2%	-69.5%
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st level (old 64475)	\$333.0	\$322.77	\$307.09	\$288.44	\$294.03	1.9%	-4.3%	-8.9%	-11.7%
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd level (old 64476)	\$333.0	\$273.78	\$212.55	\$102.38	\$101.54	-0.8%	-52.2%	-62.9%	-69.5%
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd level	\$333.0	\$273.78	\$212.55	\$102.38	\$101.54	-0.8%	-52.2%	-62.9%	-69.5%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or	\$333.0	\$399.70	\$452.39	\$477.56	\$506.77	6.1%	12.0%	26.8%	52.2%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at	\$333.0	\$399.70	\$452.39	\$642.09	\$737.08	14.8%	62.9%	84.4%	121.3%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at	\$333.0	\$399.70	\$452.39	\$295.88	\$737.08	149.1%	62.9%	84.4%	121.3%
64620	Destruction by neurolytic agent, intercostal nerve	\$333.0	\$322.77	\$307.09	\$295.88	\$294.03	-0.6%	-4.3%	-8.9%	-11.7%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2011 ASC Proposed Payment Rates

CPT	Description	Transitional Payment Rate					% of Change 2011(P) from			
		2007	2008	2009	2010	2011P	2010	2009	2008	2007
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	\$333.0	\$399.70	\$452.39	\$477.56	\$506.77	6.1%	12.0%	26.8%	52.2%
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each	\$333.0	\$322.77	\$307.09	\$295.98	\$294.03	-0.7%	-4.3%	-8.9%	-11.7%
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single	\$333.0	\$399.70	\$452.39	\$295.98	\$294.03	-0.7%	-35.0%	-26.4%	-11.7%
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each	\$333.0	\$273.78	\$212.55	\$156.44	\$101.54	-35.1%	-52.2%	-62.9%	-69.5%
64630	Destruction by neurolytic agent; pudendal nerve	\$351.9	\$336.96	\$316.32	\$300.50	\$294.03	-2.2%	-7.0%	-12.7%	-16.4%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391.0	\$443.17	\$480.65	\$309.84	\$294.03	-5.1%	-38.8%	-33.7%	-24.8%

63660 - Deleted/discontinued code; no payment made from 2010.