



American Society of Interventional Pain Physicians  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail:asipp@asipp.org

## HOPD 2010 Final Payment Rates

CPT	Description	Transitional Payment Rate						
		2007	2008	2009	2010	% of Change 2010 from 2009	2008	2007
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20550	tendon sheath, ligament injection	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20551	Tendon origin/insertion	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20553	Single or multiple trigger point(s), three or more muscle groups	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20600	Small joint injection	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20605	Intermediate joint injection	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
20610	Major joint injection	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
22520	Vertebroplasty (Thoracic)	\$1,545	\$1,859	<b>\$1,973.95</b>	<b>\$2,141.6</b>	8.5%	15.2%	<b>38.6%</b>
22521	Vertebroplasty (Lumbar)	\$1,545	\$1,859	<b>\$1,973.95</b>	<b>\$2,141.6</b>	8.5%	15.2%	<b>38.6%</b>
22522	Vertebroplasty - Additional	\$1,545	\$1,859	<b>\$1,973.95</b>	<b>\$2,141.6</b>	8.5%	15.2%	<b>38.6%</b>
22523	Percut kyphoplasty, thor	\$4,093	\$5,059	<b>\$5,720.43</b>	<b>\$5,975.7</b>	4.5%	18.1%	<b>46.0%</b>
22525	Percut kyphoplasty, add-on	\$4,093	\$5,059	<b>\$5,720.43</b>	<b>\$5,975.7</b>	4.5%	18.1%	<b>46.0%</b>
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$748	\$923	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	-47.4%	<b>-35.1%</b>
62264	Percutaneous epidural adhesiolysis - 1 day	\$748	\$923	<b>\$949.39</b>	<b>\$892.7</b>	-6.0%	-3.3%	<b>19.3%</b>
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$184	\$543	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	-10.6%	<b>164.0%</b>
62269	Biopsy of spinal cord, percutaneous needle	\$377	\$595	<b>\$632.75</b>	<b>\$651.6</b>	3.0%	9.6%	<b>72.7%</b>
62270	Spinal puncture, diagnostic	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
62272	Spinal puncture, therapeutic	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
62273	Epidural, blood patch	\$352	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>-28.7%</b>
62280	Subarachnoid neurolytic injection	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
62281	Neurolytic epidural, C/T	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
62282	Neurolytic epidural, L/S	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
62287	Disc decompression	\$2,038	\$2,119	<b>\$2,375.49</b>	<b>\$2,512.9</b>	5.8%	18.6%	<b>23.3%</b>
62292	Chemonucleolysis	\$184	\$543	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	-10.6%	<b>164.0%</b>
62310	Cervical epidural	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>



American Society of Interventional Pain Physicians  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail:asipp@asipp.org

## HOPD 2010 Final Payment Rates

CPT	Description	Transitional Payment Rate						
		2007	2008	2009	2010	% of Change 2010 from 2009	% of Change 2010 from 2008	% of Change 2010 from 2007
62311	Lumbar epidural	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
62318	Epidural or subarachnoid, catheterization, C/T	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
62319	Catheterization, epidural, L/S	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or	\$1,896	\$2,311	<b>\$2,777.19</b>	<b>\$2,765.6</b>	-0.4%	19.7%	<b>45.9%</b>
62355	Removal or previously implanted intrathecal or epidural catheter	\$748	\$923	<b>\$949.39</b>	<b>\$892.7</b>	-6.0%	-3.3%	<b>19.3%</b>
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	\$6,923	\$2,311	<b>\$2,777.19</b>	<b>\$2,765.6</b>	-0.4%	19.7%	<b>-60.1%</b>
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	\$10,720	\$11,713	<b>\$12,282.40</b>	<b>\$13,390.7</b>	9.0%	14.3%	<b>24.9%</b>
62362	Implant spine infusion pump	\$10,720	\$11,713	<b>\$12,282.40</b>	<b>\$13,390.7</b>	9.0%	14.3%	<b>24.9%</b>
62365	Remove spine infusion device	\$2,038	\$2,119	<b>\$2,375.49</b>	<b>\$2,512.9</b>	5.8%	18.6%	<b>23.3%</b>
62367	Electronic analysis of programmable pump	\$178	\$148	<b>\$109.24</b>	<b>\$171.3</b>	56.8%	15.5%	<b>-3.7%</b>
62368	Electronic analysis of programmable pump with reprogramming	\$178	\$148	<b>\$162.82</b>	<b>\$171.3</b>	5.2%	15.5%	<b>-3.7%</b>
63650	Implant neuroelectrodes (NA=National price is Not Available)	\$3,477	\$4,063	<b>\$4,206.45</b>	<b>\$4,429.2</b>	5.3%	9.0%	<b>27.4%</b>
63655	Implant neuroelectrodes (NA=National price is Not Available)	\$5,175	\$5,278	<b>\$5,476.61</b>	<b>\$5,831.8</b>	6.5%	10.5%	<b>12.7%</b>
63661	Remove spine eltrd perq aray				<b>\$1,323.7</b>			
63662	Remove spine eltrd plate				<b>\$1,323.7</b>			
63663	Remove spine eltrd perq aray				<b>\$1,323.7</b>			
63685	Implant neuroreceiver	\$11,164	\$15,337	<b>\$15,566.65</b>	<b>\$13,892.5</b>	-10.8%	-9.4%	<b>24.4%</b>
63688	Revise/remove neuroreceiver	\$2,186	\$2,192	<b>\$1,951.81</b>	<b>\$1,932.1</b>	-1.0%	-11.9%	<b>-11.6%</b>
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
64402	Facial nerve	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
64405	Greater occipital nerve	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64408	Vagus nerve	\$139	\$261	<b>\$241.11</b>	<b>\$485.3</b>	101.3%	86.0%	<b>249.2%</b>
64410	Phrenic nerve	\$352	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>37.9%</b>
64412	Spinal accessory nerve	\$352	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>37.9%</b>
64413	Cervical plexus	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64415	Brachial plexus	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>



# American Society of Interventional Pain Physicians

" The Voice of Interventional Pain Management "

81 Lakeview Drive, Paducah, KY 42001

Tel.: (270) 554-9412; Fax : (270) 554-8987

E-mail: asipp@asipp.org

## HOPD 2010 Final Payment Rates

CPT	Description	Transitional Payment Rate						
		2007	2008	2009	2010	% of Change 2010 from 2009 2008 2007		
64417	Axillary nerve	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64418	Suprascapular nerve	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64420	Intercostal, single	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64421	Intercostal, multiple, regional block	\$352	\$261	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	86.0%	<b>37.9%</b>
64425	Ilioinguinal, Iliohypogastric	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64445	Sciatic nerve	\$139	\$261	<b>\$241.11</b>	<b>\$485.3</b>	101.3%	86.0%	<b>249.2%</b>
64450	Other peripheral nerve or branch	\$139	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>80.5%</b>
64479	Cervical transforaminal epidural injections	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64480	Cervical transforaminal epidural injections add-on	\$391	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>-35.8%</b>
64483	Lumbar/sacral transforaminal epidural injections	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64484	Lumbar/sacral transforaminal epidural injections add-on	\$391	\$261	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	-3.8%	<b>-35.8%</b>
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64491	Cervical and thoracic facet joint injections, 2nd Level (Old 64472)	\$352	\$261	<b>\$241.11</b>	<b>\$172.3</b>	-28.5%	-34.0%	<b>-51.0%</b>
64492	Cervical and thoracic facet joint injections, 3rd Level ( New Code - Old 64472)				<b>\$172.3</b>			
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)	\$352	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>-51.0%</b>
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (New Code - Old 64476)				<b>\$172.3</b>			
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar	\$748	\$923	<b>\$949.39</b>	<b>\$892.7</b>	-6.0%	-3.3%	<b>19.3%</b>
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	<b>\$949.39</b>	<b>\$1,261.8</b>	32.9%	36.7%	<b>68.7%</b>
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	<b>\$949.39</b>	<b>\$1,261.8</b>	32.9%	36.7%	<b>68.7%</b>
64612	Chemodenervation of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial	\$139	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>23.9%</b>



American Society of Interventional Pain Physicians  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail:asipp@asipp.org

## HOPD 2010 Final Payment Rates

CPT	Description	Transitional Payment Rate						
		2007	2008	2009	2010	% of Change 2010 from 2009 2008 2007		
64613	Chemodenervation of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$139	\$148	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	69.7%	<b>80.5%</b>
64614	Chemodenervation of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy,	\$139	\$148	<b>\$241.11</b>	<b>\$250.9</b>	4.1%	69.7%	<b>80.5%</b>
64620	Destruction by neurolytic agent, intercostal nerve	\$748	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>-35.1%</b>
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	\$748	\$923	<b>\$949.39</b>	<b>\$892.7</b>	-6.0%	-3.3%	<b>19.3%</b>
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List	\$391	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>24.1%</b>
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level	\$748	\$923	<b>\$949.39</b>	<b>\$485.3</b>	-48.9%	-47.4%	<b>-35.1%</b>
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (List	\$391	\$148	<b>\$164.30</b>	<b>\$172.3</b>	4.9%	16.5%	<b>-55.9%</b>
64630	Destruction by neurolytic agent; pudendal nerve	\$352	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>37.9%</b>
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$352	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>37.9%</b>
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391	\$923	<b>\$949.39</b>	<b>\$485.3</b>	-48.9%	-47.4%	<b>24.1%</b>
72265	Contrast x-ray, lower spine	\$157	\$481	<b>\$475.26</b>	<b>\$487.1</b>	2.5%	1.2%	<b>210.2%</b>
72270	Contrast x-ray of spine	\$157	\$481	<b>\$475.26</b>	<b>\$487.1</b>	2.5%	1.2%	<b>210.2%</b>
72285	Diskography C/T Radiological supervision and interpretation	\$982	\$1,285	<b>\$1,504.20</b>	<b>\$1,743.2</b>	15.9%	35.6%	<b>77.5%</b>
72295	Diskography lumbar radiological supervision and interpretation	\$982	\$1,285	<b>\$1,504.20</b>	<b>\$1,743.2</b>	15.9%	35.6%	<b>77.5%</b>
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not	\$227	\$255	<b>\$265.39</b>	<b>\$265.3</b>	0.0%	4.1%	<b>16.9%</b>
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$227	\$255	<b>\$265.39</b>	<b>\$265.3</b>	0.0%	4.1%	<b>16.9%</b>
76000	Fluoroscopic examination	\$79	\$85	<b>\$83.21</b>	<b>\$85.6</b>	2.8%	1.2%	<b>7.8%</b>
G0260	(27096) Injection procedure for Sacroiliac joint, arthrography	\$352	\$449	<b>\$473.78</b>	<b>\$485.3</b>	2.4%	8.0%	<b>37.9%</b>

As of November 3, 2009