



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

HOPD 2011 Proposed Payment Rates

CPT	Description	Transitional Payment Rate								
		2007	2008	2009	2010	2011 Proposed	% of Change 2011 from			
							2010	2009	2008	2007
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20550	tendon sheath, ligament injection	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20551	Tendon origin/insertion	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20553	Single or multiple trigger point(s), three or more muscle groups	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20600	Small joint injection	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20605	Intermediate joint injection	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
20610	Major joint injection	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
22520	Vertebroplasty (Thoracic)	\$1,545	\$1,859	\$1,973.95	\$2,141.6	\$2,213.6	3.4%	12.1%	19.1%	43.3%
22521	Vertebroplasty (Lumbar)	\$1,545	\$1,859	\$1,973.95	\$2,141.6	\$2,213.6	3.4%	12.1%	19.1%	43.3%
22522	Vertebroplasty - Additional	\$1,545	\$1,859	\$1,973.95	\$2,141.6	\$2,213.6	3.4%	12.1%	19.1%	43.3%
22523	Percut kyphoplasty, thor	\$4,093	\$5,059	\$5,720.43	\$5,975.7	\$6,043.3	1.1%	5.6%	19.5%	47.7%
22525	Percut kyphoplasty, add-on	\$4,093	\$5,059	\$5,720.43	\$5,975.7	\$6,043.3	1.1%	5.6%	19.5%	47.7%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$748	\$923	\$473.78	\$485.3	\$527.1	8.6%	11.2%	-42.9%	-29.5%
62264	Percutaneous epidural adhesiolysis – 1 day	\$748	\$923	\$949.39	\$892.7	\$908.4	1.8%	-4.3%	-1.6%	21.4%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$184	\$543	\$473.78	\$485.3	\$527.1	8.6%	11.2%	-2.9%	186.7%
62269	Biopsy of spinal cord, percutaneous needle	\$377	\$595	\$632.75	\$651.6	\$676.2	3.8%	6.9%	13.7%	79.2%
62270	Spinal puncture, diagnostic	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
62272	Spinal puncture, therapeutic	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
62273	Epidural, blood patch	\$352	\$261	\$241.11	\$250.9	\$527.1	110.1%	118.6%	102.0%	49.8%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Proposed Payment Rates

CPT	Description	Transitional Payment Rate								
		2007	2008	2009	2010	2011 Proposed	% of Change 2011 from			
							2010	2009	2008	2007
62280	Subarachnoid neurolytic injection	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
62281	Neurolytic epidural, C/T	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
62282	Neurolytic epidural, L/S	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
62287	Disc decompression	\$2,038	\$2,119	\$2,375.49	\$2,512.9	\$2,562.4	2.0%	7.9%	20.9%	25.7%
62292	Chemoneurolysis	\$184	\$543	\$473.78	\$485.3	\$527.1	8.6%	11.2%	-2.9%	186.7%
62310	Cervical epidural	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
62311	Lumbar epidural	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
62318	Epidural or subarachnoid, catheterization, C/T	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
62319	Catheterization, epidural, L/S	\$391	\$449	\$473.78	\$485.3	\$908.4	87.2%	91.7%	102.2%	132.3%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or	\$1,896	\$2,311	\$2,777.19	\$2,765.6	\$2,865.2	3.6%	3.2%	24.0%	51.1%
62355	Removal or previously implanted intrathecal or epidural catheter	\$748	\$923	\$949.39	\$892.7	\$908.4	1.8%	-4.3%	-1.6%	21.4%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	\$6,923	\$2,311	\$2,777.19	\$2,765.6	\$2,865.2	3.6%	3.2%	24.0%	-58.6%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	\$10,720	\$11,713	\$12,282.40	\$13,390.7	\$13,285.5	-0.8%	8.2%	13.4%	23.9%
62362	Implant spine infusion pump	\$10,720	\$11,713	\$12,282.40	\$13,390.7	\$13,285.5	-0.8%	8.2%	13.4%	23.9%
62365	Remove spine infusion device	\$2,038	\$2,119	\$2,375.49	\$2,512.9	\$2,562.4	2.0%	7.9%	20.9%	25.7%
62367	Electronic analysis of programmable pump	\$178	\$148	\$109.24	\$171.3	\$169.1	-1.3%	54.8%	14.1%	-5.0%
62368	Electronic analysis of programmable pump with reprogramming	\$178	\$148	\$162.82	\$171.3	\$169.1	-1.3%	3.8%	14.1%	-5.0%
63650	Implant neuroelectrodes (NA=National price is Not Available)	\$3,477	\$4,063	\$4,206.45	\$4,429.2	\$4,464.7	0.8%	6.1%	9.9%	28.4%
63655	Implant neuroelectrodes (NA=National price is Not Available)	\$5,175	\$5,278	\$5,476.61	\$5,831.8	\$6,068.6	4.1%	10.8%	15.0%	17.3%
63661	Remove spine eltrd perq aray				\$1,323.7	\$1,497.3	13.1%			



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

HOPD 2011 Proposed Payment Rates

CPT	Description	Transitional Payment Rate								
		2007	2008	2009	2010	2011 Proposed	% of Change 2011 from			
							2010	2009	2008	2007
63662	Remove spine eltrd plate				\$1,323.7	\$1,497.3	13.1%			
63663	Remove spine eltrd perq aray				\$1,323.7	\$1,497.3	13.1%			
63685	Implant neuroreceiver	\$11,164	\$15,337	\$15,566.65	\$13,892.5	\$14,358.9	3.4%	-7.8%	-6.4%	28.6%
63688	Revise/remove neuroreceiver	\$2,186	\$2,192	\$1,951.81	\$1,932.1	\$2,019.5	4.5%	3.5%	-7.9%	-7.6%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
64402	Facial nerve	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
64405	Greater occipital nerve	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64408	Vagus nerve	\$139	\$261	\$241.11	\$485.3	\$527.1	8.6%	118.6%	102.0%	279.2%
64410	Phrenic nerve	\$352	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	49.8%
64412	Spinal accessory nerve	\$352	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	49.8%
64413	Cervical plexus	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64415	Brachial plexus	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64417	Axillary nerve	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64418	Suprascapular nerve	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64420	Intercostal, single	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64421	Intercostal, multiple, regional block	\$352	\$261	\$473.78	\$485.3	\$527.1	8.6%	11.2%	102.0%	49.8%
64425	Ilioinguinal, Iliohypogastric	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64445	Sciatic nerve	\$139	\$261	\$241.11	\$485.3	\$527.1	8.6%	118.6%	102.0%	279.2%
64450	Other peripheral nerve or branch	\$139	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	90.5%
64479	Cervical transforaminal epidural injections	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

HOPD 2011 Proposed Payment Rates

CPT	Description	Transitional Payment Rate								
		2007	2008	2009	2010	2011 Proposed	% of Change 2011 from			
							2010	2009	2008	2007
64480	Cervical transforaminal epidural injections add-on	\$391	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	-32.3%
64483	Lumbar/sacral transforaminal epidural injections	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$391	\$261	\$241.11	\$250.9	\$264.9	5.6%	9.8%	1.5%	-32.3%
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64491	Cervical and thoracic facet joint injections, 2nd Level (Old 64472)	\$352	\$261	\$241.11	\$172.3	\$182.0	5.6%	-24.5%	-30.2%	-48.3%
64492	Cervical and thoracic facet joint injections, 3rd Level (New Code - Old 64472)				\$172.3	\$182.0	5.6%			
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)	\$352	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	-48.3%
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (New Code - Old 64476)				\$172.3	\$182.0	5.6%			
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar	\$748	\$923	\$949.39	\$892.7	\$908.4	1.8%	-4.3%	-1.6%	21.4%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	\$949.39	\$1,261.8	\$1,321.2	4.7%	39.2%	43.2%	76.6%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	\$949.39	\$1,261.8	\$1,321.2	4.7%	39.2%	43.2%	76.6%
64612	Chemodeneration of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial	\$139	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	30.9%
64613	Chemodeneration of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$139	\$148	\$241.11	\$250.9	\$264.9	5.6%	9.8%	79.1%	90.5%
64614	Chemodeneration of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy,	\$139	\$148	\$241.11	\$250.9	\$264.9	5.6%	9.8%	79.1%	90.5%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Proposed Payment Rates

CPT	Description	Transitional Payment Rate								
		2007	2008	2009	2010	2011 Proposed	% of Change 2011 from			
							2010	2009	2008	2007
64620	Destruction by neurolytic agent, intercostal nerve	\$748	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	-29.5%
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	\$748	\$923	\$949.39	\$892.7	\$908.4	1.8%	-4.3%	-1.6%	21.4%
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List	\$391	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	34.8%
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level	\$748	\$923	\$949.39	\$485.3	\$527.1	8.6%	-44.5%	-42.9%	-29.5%
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level	\$391	\$148	\$164.30	\$172.3	\$182.0	5.6%	10.8%	23.1%	-53.4%
64630	Destruction by neurolytic agent; pudendal nerve	\$352	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	49.8%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$352	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	49.8%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391	\$923	\$949.39	\$485.3	\$527.1	8.6%	-44.5%	-42.9%	34.8%
72265	Contrast x-ray, lower spine	\$157	\$481	\$475.26	\$487.1	\$505.9	3.9%	6.4%	5.1%	222.2%
72270	Contrast x-ray of spine	\$157	\$481	\$475.26	\$487.1	\$505.9	3.9%	6.4%	5.1%	222.2%
72285	Diskography C/T Radiological supervision and interpretation	\$982	\$1,285	\$1,504.20	\$1,743.2	\$1,701.5	-2.4%	13.1%	32.4%	73.3%
72295	Diskography lumbar radiological supervision and interpretation	\$982	\$1,285	\$1,504.20	\$1,743.2	\$1,701.5	-2.4%	13.1%	32.4%	73.3%
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not	\$227	\$255	\$265.39	\$265.3	\$273.4	3.0%	3.0%	7.2%	20.5%
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$227	\$255	\$265.39	\$265.3	\$273.4	3.0%	3.0%	7.2%	20.5%
76000	Fluoroscopic examination	\$79	\$85	\$83.21	\$85.6	\$85.1	-0.5%	2.3%	0.7%	7.3%
G0260	(27096) Injection procedure for Sacroiliac joint, arthrography	\$352	\$449	\$473.78	\$485.3	\$527.1	8.6%	11.2%	17.3%	49.8%

As of July 15, 2010