



**American Society of Interventional Pain Physicians**  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail: asipp@asipp.org

## 2010 Final - Physician Payment Rates

Effective date from 1/1/2010 to 2/28/2010

| CPT   | Description                                                                  | 2009 (CF=\$36.0666)   |                         | 2010 (CF=\$36.0846) Without Cut |                         | % Of change from 2009 |          |
|-------|------------------------------------------------------------------------------|-----------------------|-------------------------|---------------------------------|-------------------------|-----------------------|----------|
|       |                                                                              | Non-Facility (Office) | Facility (ASC/Hospital) | Non-Facility (Office)           | Facility (ASC/Hospital) | Non-Facility          | Facility |
| 20526 | Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel | \$69.61               | \$54.82                 | \$70.00                         | \$54.85                 | 0.6%                  | 0.0%     |
| 20550 | tendon sheath, ligament injection                                            | \$53.74               | \$40.03                 | \$53.77                         | \$39.69                 | 0.1%                  | -0.9%    |
| 20551 | Tendon origin/insertion                                                      | \$53.02               | \$40.76                 | \$54.13                         | \$41.14                 | 2.1%                  | 0.9%     |
| 20552 | Single or multiple trigger point(s), one or two muscle group(s)              | \$47.97               | \$34.26                 | \$49.08                         | \$35.36                 | 2.3%                  | 3.2%     |
| 20553 | Single or multiple trigger point(s), three or more muscle groups             | \$53.38               | \$37.87                 | \$55.93                         | \$39.69                 | 4.8%                  | 4.8%     |
| 20600 | Small joint injection                                                        | \$50.49               | \$38.23                 | \$50.52                         | \$37.53                 | 0.0%                  | -1.8%    |
| 20605 | Intermediate joint injection                                                 | \$54.10               | \$39.67                 | \$54.49                         | \$39.33                 | 0.7%                  | -0.9%    |
| 20610 | Major joint injection                                                        | \$69.97               | \$47.61                 | \$71.45                         | \$47.63                 | 2.1%                  | 0.0%     |
| 22520 | Vertebroplasty (Thoracic)                                                    | \$2,091.86            | \$554.34                | \$2,061.87                      | \$518.90                | -1.4%                 | -6.4%    |
| 22521 | Vertebroplasty (Lumbar)                                                      | \$2,036.68            | \$522.24                | \$2,016.05                      | \$490.03                | -1.0%                 | -6.2%    |
| 22522 | Vertebroplasty - Additional                                                  | NA                    | \$244.89                | NA                              | \$229.50                | NA                    | -6.3%    |
| 22523 | Percut kyphoplasty, (Thoracic)                                               | NA                    | \$579.59                | NA                              | \$569.42                | NA                    | -1.8%    |
| 22525 | Percut kyphoplasty, Add on                                                   | NA                    | \$260.04                | NA                              | \$256.56                | NA                    | -1.3%    |
| 22526 | Idet, single level                                                           | \$1,760.05            | \$329.65                | \$1,838.51                      | \$313.58                | 4.5%                  | -4.9%    |
| 22527 | Idet, 1 or more levels                                                       | \$1,362.96            | \$150.76                | \$1,451.68                      | \$141.45                | 6.5%                  | -6.2%    |
| 27093 | Injection procedure for HIP arthrography – without anesthesia                | \$176.73              | \$69.61                 | \$177.54                        | \$69.64                 | 0.5%                  | 0.0%     |
| 27095 | Injection procedure for HIP arthrography – with anesthesia                   | \$213.15              | \$79.35                 | \$214.70                        | \$79.75                 | 0.7%                  | 0.5%     |
| 27096 | (G0260) Injection procedure for Sacroiliac joint, arthrography               | \$161.58              | \$66.00                 | \$167.79                        | \$68.56                 | 3.8%                  | 3.9%     |
| 62263 | Percutaneous epidural adhesiolysis - 2 or 3 days                             | \$597.26              | \$352.73                | \$631.84                        | \$370.95                | 5.8%                  | 5.2%     |
| 62264 | Percutaneous epidural adhesiolysis – 1 day                                   | \$365.72              | \$215.68                | \$380.33                        | \$223.36                | 4.0%                  | 3.6%     |
| 62268 | Percutaneous aspiration, spinal cord cyst or syrinx                          | \$434.96              | \$256.07                | \$424.72                        | \$253.67                | -2.4%                 | -0.9%    |
| 62270 | Spinal puncture, diagnostic                                                  | \$143.55              | \$73.58                 | \$146.86                        | \$76.86                 | 2.3%                  | 4.5%     |
| 62272 | Spinal puncture, therapeutic                                                 | \$170.23              | \$78.99                 | \$176.81                        | \$81.55                 | 3.9%                  | 3.2%     |
| 62273 | Epidural, blood patch                                                        | \$152.92              | \$104.95                | \$156.97                        | \$107.53                | 2.6%                  | 2.5%     |
| 62280 | Subarachnoid neurolytic injection                                            | \$283.84              | \$145.35                | \$291.92                        | \$151.56                | 2.8%                  | 4.3%     |

NA - Not Applicable    % change - from 2009



**American Society of Interventional Pain Physicians**  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail: asipp@asipp.org

## 2010 Final - Physician Payment Rates

Effective date from 1/1/2010 to 2/28/2010

| CPT   | Description                                                                                                                                                     | 2009 (CF=\$36.0666)   |                         | 2010 (CF=\$36.0846) Without Cut |                         | % Of change from 2009 |          |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|---------------------------------|-------------------------|-----------------------|----------|
|       |                                                                                                                                                                 | Non-Facility (Office) | Facility (ASC/Hospital) | Non-Facility (Office)           | Facility (ASC/Hospital) | Non-Facility          | Facility |
| 62281 | Neurolytic epidural, C/T                                                                                                                                        | \$261.84              | \$138.86                | \$271.36                        | \$144.34                | 3.6%                  | 3.9%     |
| 62282 | Neurolytic epidural, L/S                                                                                                                                        | \$271.22              | \$128.04                | \$274.96                        | \$133.87                | 1.4%                  | 4.6%     |
| 62284 | Injection procedure myelography                                                                                                                                 | \$207.02              | \$86.92                 | \$204.60                        | \$86.60                 | -1.2%                 | -0.4%    |
| 62287 | Disc decompression                                                                                                                                              | NA                    | \$510.70                | NA                              | \$525.03                | NA                    | 2.8%     |
| 62290 | Injection procedure for diskogrsphy each level: lumbar                                                                                                          | \$302.24              | \$161.58                | \$308.16                        | \$164.55                | 2.0%                  | 1.8%     |
| 62291 | Injection procedure for diskogrsphy each level: C/T                                                                                                             | \$283.48              | \$156.53                | \$289.04                        | \$158.05                | 2.0%                  | 1.0%     |
| 62292 | Chemonucleolysis                                                                                                                                                | NA                    | \$462.73                | NA                              | \$470.90                | NA                    | 1.8%     |
| 62310 | Cervical epidural                                                                                                                                               | \$199.09              | \$95.22                 | \$207.85                        | \$98.87                 | 4.4%                  | 3.8%     |
| 62311 | Lumbar epidural                                                                                                                                                 | \$175.64              | \$78.99                 | \$181.14                        | \$81.91                 | 3.1%                  | 3.7%     |
| 62318 | Epidural or subarachnoid, catheterization, C/T                                                                                                                  | \$212.79              | \$95.58                 | \$216.87                        | \$97.07                 | 1.9%                  | 1.6%     |
| 62319 | Catheterization, epidural, L/S                                                                                                                                  | \$192.60              | \$89.45                 | \$198.10                        | \$91.65                 | 2.9%                  | 2.5%     |
| 62350 | Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or implantable reservoir; w/o laminectomy                | NA                    | \$364.63                | NA                              | \$367.70                | NA                    | 0.8%     |
| 62355 | Removal or previously implanted intrathecal or epidural catheter                                                                                                | NA                    | \$273.02                | NA                              | \$277.13                | NA                    | 1.5%     |
| 62360 | Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir                                                              | NA                    | \$258.60                | NA                              | \$280.74                | NA                    | 8.6%     |
| 62361 | Implantation or replacement of device for epidural drug infusion; non-programmable pump                                                                         | NA                    | \$360.67                | NA                              | \$370.23                | NA                    | 2.7%     |
| 62362 | Implant spine infusion pump                                                                                                                                     | NA                    | \$384.47                | NA                              | \$385.38                | NA                    | 0.2%     |
| 62365 | Remove spine infusion device                                                                                                                                    | NA                    | \$302.96                | NA                              | \$305.28                | NA                    | 0.8%     |
| 62367 | Electronic analysis of programmable pump                                                                                                                        | \$35.71               | \$22.72                 | \$37.53                         | \$23.82                 | 5.1%                  | 4.8%     |
| 62368 | Electronic analysis of programmable pump with reprogramming                                                                                                     | \$51.21               | \$35.71                 | \$53.77                         | \$37.17                 | 5.0%                  | 4.1%     |
| 63650 | Implant neuroelectrodes (Physician fee is the same whether performed in a facility or a non-facility; CMS does not develop non-facility practice expense RVUs.) | \$379.06              | \$379.06                | NA                              | \$393.68                |                       | 3.9%     |
| 63655 | Implant neuroelectrodes                                                                                                                                         | NA                    | \$773.63                | NA                              | \$802.88                | NA                    | 3.8%     |
| 63660 | Revise/remove neuroelectrode (Removed in 2010)                                                                                                                  | NA                    | \$402.86                | NA                              | NA                      | NA                    |          |
| 63661 | Remove spine eltrd perq aray (New code)                                                                                                                         | NA                    | NA                      | \$534.77                        | \$298.78                | NA                    | NA       |
| 63662 | Remove spine eltrd plate (New code)                                                                                                                             | NA                    | NA                      | NA                              | \$687.05                | NA                    | NA       |
| 63663 | Remove spine eltrd perq aray (New code)                                                                                                                         | NA                    | NA                      | \$792.42                        | \$461.88                | NA                    | NA       |

NA - Not Applicable    % change - from 2009



**American Society of Interventional Pain Physicians**  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail: asipp@asipp.org

## 2010 Final - Physician Payment Rates

Effective date from 1/1/2010 to 2/28/2010

| CPT   | Description                                                           | 2009 (CF=\$36.0666)   |                         | 2010 (CF=\$36.0846) Without Cut |                         | % Of change from 2009 |          |
|-------|-----------------------------------------------------------------------|-----------------------|-------------------------|---------------------------------|-------------------------|-----------------------|----------|
|       |                                                                       | Non-Facility (Office) | Facility (ASC/Hospital) | Non-Facility (Office)           | Facility (ASC/Hospital) | Non-Facility          | Facility |
| 63664 | Remove spine eltrd plate (New code)                                   | NA                    | NA                      | NA                              | \$715.20                | NA                    | NA       |
| 63685 | Implant neuroreceiver                                                 | NA                    | \$370.40                | NA                              | \$373.48                | NA                    | 0.8%     |
| 63688 | Revise/remove neuroreceiver                                           | NA                    | \$331.45                | NA                              | \$337.39                | NA                    | 1.8%     |
| 64400 | Injection, anesthetic agent; Trigeminal nerve, any division or branch | \$98.10               | \$58.79                 | \$103.56                        | \$62.79                 | 5.6%                  | 6.8%     |
| 64402 | Facial nerve                                                          | \$100.63              | \$67.08                 | \$105.73                        | \$70.73                 | 5.1%                  | 5.4%     |
| 64405 | Greater occipital nerve                                               | \$94.86               | \$68.53                 | \$102.84                        | \$74.70                 | 8.4%                  | 9.0%     |
| 64408 | Vagus nerve                                                           | \$109.64              | \$82.95                 | \$113.67                        | \$85.88                 | 3.7%                  | 3.5%     |
| 64410 | Phrenic nerve                                                         | \$127.32              | \$73.58                 | \$137.48                        | \$80.47                 | 8.0%                  | 9.4%     |
| 64412 | Spinal accessory nerve                                                | \$126.59              | \$65.64                 | \$134.96                        | \$69.64                 | 6.6%                  | 6.1%     |
| 64413 | Cervical plexus                                                       | \$105.31              | \$71.41                 | \$110.06                        | \$75.42                 | 4.5%                  | 5.6%     |
| 64415 | Brachial plexus                                                       | \$119.74              | \$69.25                 | \$120.52                        | \$70.00                 | 0.7%                  | 1.1%     |
| 64417 | Axillary nerve                                                        | \$121.18              | \$68.89                 | \$120.88                        | \$68.92                 | -0.2%                 | 0.0%     |
| 64418 | Suprascapular nerve                                                   | \$122.99              | \$68.17                 | \$127.38                        | \$71.09                 | 3.6%                  | 4.3%     |
| 64420 | Intercostal, single                                                   | \$146.43              | \$61.67                 | \$150.47                        | \$63.87                 | 2.8%                  | 3.6%     |
| 64421 | Intercostal, multiple, regional block                                 | \$216.04              | \$84.40                 | \$222.64                        | \$88.05                 | 3.1%                  | 4.3%     |
| 64425 | Ilioinguinal, Iliohypogastric                                         | \$118.30              | \$87.64                 | \$122.33                        | \$90.57                 | 3.4%                  | 3.3%     |
| 64445 | Sciatic nerve                                                         | \$124.43              | \$75.38                 | \$126.66                        | \$77.58                 | 1.8%                  | 2.9%     |
| 64450 | Other peripheral nerve or branch                                      | \$95.58               | \$68.17                 | \$96.35                         | \$67.12                 | 0.8%                  | -1.5%    |
| 64479 | Cervical transforaminal epidural injections                           | \$253.55              | \$114.69                | \$261.25                        | \$120.88                | 3.0%                  | 5.4%     |
| 64480 | Cervical transforaminal epidural injections add-on                    | \$127.68              | \$75.02                 | \$133.87                        | \$79.75                 | 4.9%                  | 6.3%     |
| 64483 | Lumbar/sacral transforaminal epidural injections                      | \$246.70              | \$100.99                | \$251.87                        | \$104.65                | 2.1%                  | 3.6%     |
| 64484 | Lumbar/sacral transforaminal epidural injections add-on               | \$125.15              | \$63.84                 | \$128.82                        | \$66.40                 | 2.9%                  | 4.0%     |
| 64490 | Cervical and thoracic facet joint injections 1st Level (Old 64470)    | \$239.48              | \$97.02                 | \$163.46                        | \$107.53                | -31.7%                | 10.8%    |
| 64491 | Cervical and thoracic facet joint injections 2nd Level (Old 64472)    | \$103.87              | \$62.03                 | \$80.47                         | \$61.70                 | -22.5%                | -0.5%    |
| 64492 | Cervical and thoracic facet joint injections 3rd Level (Old 64472)    | NA                    | NA                      | NA                              | NA                      | NA                    | NA       |

NA - Not Applicable % change - from 2009



**American Society of Interventional Pain Physicians**  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail: asipp@asipp.org

## 2010 Final - Physician Payment Rates

Effective date from 1/1/2010 to 2/28/2010

| CPT   | Description                                                                                                                                                               | 2009 (CF=\$36.0666)   |                         | 2010 (CF=\$36.0846) Without Cut |                         | % Of change from 2009 |          |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|---------------------------------|-------------------------|-----------------------|----------|
|       |                                                                                                                                                                           | Non-Facility (Office) | Facility (ASC/Hospital) | Non-Facility (Office)           | Facility (ASC/Hospital) | Non-Facility          | Facility |
| 64493 | Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (old 64475)                                                                                      | \$214.60              | \$76.46                 | \$147.95                        | \$91.29                 | -31.1%                | 19.4%    |
| 64494 | Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)                                                                                      | \$87.28               | \$46.53                 | \$72.17                         | \$52.68                 | -17.3%                | 13.2%    |
| 64495 | Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (Old 64476)                                                                                      | NA                    | NA                      | NA                              | NA                      | NA                    | NA       |
| 64505 | Injection, anesthetic agent; sphenopalatine ganglion                                                                                                                      | \$93.77               | \$78.63                 | \$93.46                         | \$78.66                 | -0.3%                 | 0.0%     |
| 64508 | Injection, anesthetic agent; Carotid sinus (separate procedure)                                                                                                           | \$130.20              | \$64.92                 | \$141.45                        | \$71.09                 | 8.6%                  | 9.5%     |
| 64510 | Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)                                                                                                     | \$129.48              | \$63.12                 | \$128.10                        | \$65.67                 | -1.1%                 | 4.1%     |
| 64520 | Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)                                                                                               | \$169.51              | \$71.41                 | \$173.93                        | \$73.97                 | 2.6%                  | 3.6%     |
| 64530 | Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring                                                                                         | \$175.28              | \$84.40                 | \$179.70                        | \$87.32                 | 2.5%                  | 3.5%     |
| 64600 | Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar branch                                                        | \$369.32              | \$198.73                | \$378.89                        | \$207.85                | 2.6%                  | 4.6%     |
| 64605 | Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale                                                                    | \$523.33              | \$319.19                | \$562.56                        | \$319.71                | 7.5%                  | 0.2%     |
| 64610 | Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale under radiologic monitoring                                        | \$643.79              | \$454.44                | \$665.40                        | \$461.52                | 3.4%                  | 1.6%     |
| 64612 | Chemodenervation of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial spasm)                                                             | \$141.38              | \$124.43                | \$159.13                        | \$143.62                | 12.6%                 | 15.4%    |
| 64613 | Chemodenervation of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)                                                                        | \$139.22              | \$117.58                | \$153.72                        | \$134.23                | 10.4%                 | 14.2%    |
| 64614 | Chemodenervation of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy, multiple sclerosis)                                                 | \$155.81              | \$130.56                | \$165.63                        | \$142.53                | 6.3%                  | 9.2%     |
| 64620 | Destruction by neurolytic agent, intercostal nerve                                                                                                                        | \$248.14              | \$154.37                | \$259.45                        | \$161.30                | 4.6%                  | 4.5%     |
| 64622 | Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level                                                                          | \$296.47              | \$163.38                | \$307.80                        | \$172.12                | 3.8%                  | 5.4%     |
| 64623 | Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List separately in addition to code for primary procedure)     | \$110.00              | \$46.17                 | \$114.03                        | \$47.99                 | 3.7%                  | 4.0%     |
| 64626 | Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level                                                                      | \$344.80              | \$215.32                | \$364.82                        | \$231.30                | 5.8%                  | 7.4%     |
| 64627 | Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (List separately in addition to code for primary procedure) | \$150.04              | \$54.10                 | \$155.16                        | \$56.29                 | 3.4%                  | 4.1%     |
| 64630 | Destruction by neurolytic agent; pudendal nerve                                                                                                                           | \$215.32              | \$179.61                | \$217.59                        | \$182.59                | 1.1%                  | 1.7%     |
| 64640 | Destruction by neurolytic agent; other peripheral nerve or branch                                                                                                         | \$212.79              | \$165.55                | \$210.01                        | \$163.82                | -1.3%                 | -1.0%    |
| 64680 | Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus                                                                                     | \$280.60              | \$149.68                | \$289.04                        | \$155.52                | 3.0%                  | 3.9%     |
| 72265 | Myelography, lumbosacral, radiological supervision and interpretation                                                                                                     | \$147.15              | NA                      | NA                              | NA                      |                       | NA       |
| 72270 | Myelography, 2 or more regions radiological supervision and interpretation                                                                                                | \$229.38              | NA                      | \$210.37                        | NA                      | -8.3%                 | NA       |
| 72275 | Epidurography, Radiological supervision and interpretation                                                                                                                | \$104.59              | NA                      | \$101.04                        | NA                      | -3.4%                 | NA       |

NA - Not Applicable    % change - from 2009



**American Society of Interventional Pain Physicians**  
 " The Voice of Interventional Pain Management "  
 81 Lakeview Drive, Paducah, KY 42001  
 Tel.: (270) 554-9412; Fax : (270) 554-8987  
 E-mail: asipp@asipp.org

## 2010 Final - Physician Payment Rates

Effective date from 1/1/2010 to 2/28/2010

| CPT        | Description                                                                                                                         | 2009 (CF=\$36.0666)   |                         | 2010 (CF=\$36.0846) Without Cut |                         | % Of change from 2009 |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------|---------------------------------|-------------------------|-----------------------|----------|
|            |                                                                                                                                     | Non-Facility (Office) | Facility (ASC/Hospital) | Non-Facility (Office)           | Facility (ASC/Hospital) | Non-Facility          | Facility |
| 72275 - TC | Epidurography, Radiological supervision and interpretation                                                                          | \$68.17               | NA                      | \$63.87                         | NA                      | -6.3%                 | NA       |
| 72285      | Diskography C/T Radiological supervision and interpretation                                                                         | \$178.89              | NA                      | \$151.56                        | NA                      | -15.3%                | NA       |
| 72285 - 26 | Diskography C/T Radiological supervision and interpretation                                                                         | \$56.62               | \$56.62                 | \$57.01                         | \$57.01                 | 0.7%                  | 0.7%     |
| 72285 - TC | Diskography C/T Radiological supervision and interpretation                                                                         | \$122.27              | NA                      | \$94.54                         | NA                      | -22.7%                | NA       |
| 72295      | Diskography lumbar radiological supervision and interpretation                                                                      | \$159.41              | NA                      | \$133.51                        | NA                      | -16.2%                | NA       |
| 72295 - 26 | Diskography lumbar radiological supervision and interpretation                                                                      | \$41.48               | \$41.48                 | \$41.14                         | \$41.14                 | -0.8%                 | -0.8%    |
| 72295 - TC | Diskography lumbar radiological supervision and interpretation                                                                      | \$117.94              | NA                      | \$92.38                         | NA                      | -21.7%                | NA       |
| 73525      | Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525) | \$95.58               | NA                      | \$93.10                         | NA                      | -2.6%                 | NA       |
| 73525 - 26 | Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525) | \$27.77               | \$27.77                 | \$28.15                         | \$28.15                 | 1.3%                  | 1.3%     |
| 73525 - TC | Radiological examination, hip, arthrography, radiological supervision and interpretation (do not report 76003 in addition to 73525) | \$67.81               | NA                      | \$64.95                         | NA                      | -4.2%                 | NA       |
| 73542      | Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation                                | \$78.63               | NA                      | \$76.14                         | NA                      | -3.2%                 | NA       |
| 73542 - 26 | Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation                                | \$28.13               | \$28.13                 | \$28.51                         | \$28.51                 | 1.3%                  | 1.3%     |
| 73542 - TC | Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation                                | \$50.49               | NA                      | \$47.63                         | NA                      | -5.7%                 | NA       |
| 76000      | Fluoroscopic examination                                                                                                            | \$95.22               | NA                      | \$97.07                         | NA                      | 1.9%                  | NA       |
| 76000 - 26 | Fluoroscopic examination                                                                                                            | \$8.66                | \$8.66                  | \$8.66                          | \$8.66                  | 0.0%                  | 0.0%     |
| 76000 - TC | Fluoroscopic examination                                                                                                            | \$86.56               | NA                      | \$88.41                         | NA                      | 2.1%                  | NA       |
| 76001 - 26 | Fluoroscopic, physician time more than one hour                                                                                     | \$34.98               | \$34.98                 | \$35.72                         | \$35.72                 | 2.1%                  | 2.1%     |
| 77002      | Fluoroscopic guidance for needle placement (76003)                                                                                  | \$70.69               | NA                      | \$69.64                         | NA                      | -1.5%                 | NA       |
| 77002 - 26 | Fluoroscopic guidance for needle placement (76003 - 26)                                                                             | \$26.69               | \$26.69                 | \$27.06                         | \$27.06                 | 1.4%                  | 1.4%     |
| 77002 - TC | Fluoroscopic guidance for needle placement (76003 - TC)                                                                             | \$44.00               | NA                      | \$42.58                         | NA                      | -3.2%                 | NA       |
| 77003      | Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005)               | \$59.15               | NA                      | \$57.74                         | NA                      | -2.4%                 | NA       |
| 77003 - 26 | Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005 - 26)          | \$28.13               | \$28.13                 | \$28.51                         | \$28.51                 | 1.3%                  | 1.3%     |
| 77003 - TC | Fluoroscopic guidance and localization of needle or catheter tip for spine or therapeutic injection procedure (76005 - TC)          | \$31.02               | NA                      | \$29.23                         | NA                      | -5.8%                 | NA       |
| 99201      | Office/outpatient visit, new                                                                                                        | \$36.79               | \$23.44                 | \$38.97                         | \$24.90                 | 5.9%                  | 6.2%     |
| 99202      | Office/outpatient visit, new                                                                                                        | \$63.48               | \$45.08                 | \$67.48                         | \$48.35                 | 6.3%                  | 7.3%     |

NA - Not Applicable    % change - from 2009



# American Society of Interventional Pain Physicians

" The Voice of Interventional Pain Management "

81 Lakeview Drive, Paducah, KY 42001

Tel.: (270) 554-9412; Fax : (270) 554-8987

E-mail: asipp@asipp.org

## 2010 Final - Physician Payment Rates

Effective date from 1/1/2010 to 2/28/2010

| CPT   | Description                  | 2009 (CF=\$36.0666)   |                         | 2010 (CF=\$36.0846) Without Cut |                         | % Of change from 2009 |          |
|-------|------------------------------|-----------------------|-------------------------|---------------------------------|-------------------------|-----------------------|----------|
|       |                              | Non-Facility (Office) | Facility (ASC/Hospital) | Non-Facility (Office)           | Facility (ASC/Hospital) | Non-Facility          | Facility |
| 99203 | Office/outpatient visit, new | <b>\$91.97</b>        | \$68.17                 | <b>\$97.79</b>                  | <b>\$72.89</b>          | <b>6.3%</b>           | 6.9%     |
| 99204 | Office/outpatient visit, new | <b>\$141.74</b>       | \$113.97                | <b>\$151.56</b>                 | <b>\$123.05</b>         | <b>6.9%</b>           | 8.0%     |
| 99205 | Office/outpatient visit, new | <b>\$178.89</b>       | \$148.23                | <b>\$190.53</b>                 | <b>\$159.49</b>         | <b>6.5%</b>           | 7.6%     |

63660 - Deleted/discontinued code; no payment made from 2010.